

INDEX OF AUTHORS AND SUBJECTS

Vol. 109

For brevity a cross × has been used instead of such phrases as "effect of, on . . .", "effect on, of . . ." and "in relation to", and should be interpreted appropriately in each case.

- Adaptation, 15, 20, 63, 65, 68, 76 *et seq.*, 226, 245, 264, 314, 349, 356, 375, 476, 559, 579 *et seq.*
 × nest site, 226.
- Adaptive radiation, of finches, British, 33–98.
- ADEN, bird notes from, 516–20.
- AFRICA, discography of bird sound, 521–33.
- Age of birds, 185.
 × breeding, start, 191.
 success, 586.
 clutch size, 188, 191.
 ovulation, 269.
 pneumatization of cranium, 570–78.
 weight, of birds, 612.
- at first
 behaviour, aggressive, 226.
 territorial, 227.
 being left unattended, 225.
 breeding, 16, 171, 179, 184, 267, 373, 506.
 factors affecting, 556.
 variation, intersexual, 184.
 defence, of site, 227.
 display, advertising, 206.
 feeding self, 88, 563.
 flight, 16, 171, 189, 226–7, 563.
 independence of parents, 226.
 leaving breeding grounds, 184, 226.
 nest, 227, 563, 571.
 nesting colony, 16.
 nest site prospecting, 184.
 panting, 585.
 predator-reaction, 222, 401.
- at maturity, 191, 267, 348, 373, 586.
 factors affecting, 586.
 expectation of life, 373.
 formula, 185.
 of population, 186.
- Agriculture,
 practice,
 × food supply, 34, 92.
 changes in, effect, 43.
 stock, effect, 395.
- ALDABRA, threat to, 477, 650.
- ALI, S., honours and awards, 621.
- ALLEN, F. G. H., White-rumped Swift in Spain, 113–5.
- Altitude, × size, 318.
- Apostatic selection, 279.
- ARGENTINA, Marsh birds of Cape San Antonio, 391–411.
- Associations, birds
 birds, interspecific, 117, 123–4, 307, 395 *et seq.*, 409.
 migrating, 366–7, 496.
 nesting, 109, 176, 179, 302, 552.
 mammals, 400.
 nesting, 112, 559.
 man, agriculture, 83, 552.
 food, 83, 86.
 bird tables &c, 41.
 scavenging, 26.
 × population changes, 509–11.
 settlements, 83, 552.
 shipping, 150, 438, 442, 535.
- AUSTRALIA, fauna of, origin, 138–9.
- BAILEY, F. M., obituary, 615.
- BAILEY, R. S., Migrant waders in Indian Ocean, 437–9.
- Bathing, 222–3, 607.
 behaviour, 400, 403.
 roll-bathing, 223.
- Behaviour,
 × habitat, 223.
 territory, 212 *et seq.*
 size, 214.
- abnormal, factors affecting, 271.
- after rain, 177.
- aggressive, birds to
 birds, 198 *et seq.*, 562.
 interspecific, 173, 408.
 intraspecific, 28, 173, 400.
 × territory, 198.
 adults/young, 202, 207, 225, 404.
 intensity, variation, intersexual, 204.
 intersexual, 204.
 to point of death, 591.
 young *inter se*, 174, 226, 591.
 redirected, 541.
- machines, 562.
- mammals, 403, 407, 562.
- man, 562.
- agonistic, 179, 194, 198 *et seq.*, 228, 404, 406, 562, 567.
- ambivalent, 203, 215, 218, 560.
- at nest, 26, 221, 427–8.
- changes in, local enhancement, 441.
- cryptic, 567.
- development of, 199 *et seq.*, 218.
- displacement, 199, 545, 562.
- distraction, 475, 562.
- diversionary, 401.
- epideictic, 513, 594.
- function of, 203, 207.
- hereditary, 88.
- in captivity, 267.
- innate, 88.
- intention movements, 199 *et seq.*, 207 *et seq.*
- irrelevant, 545.
- new, 39, 440.
- Markov chain, 212.
- of parents, on
 handling of young, 428.
 hatching of young, 562.
 unmated birds, 204.
 young, in nest, 226.
- on approach to nest, 427–8, 434.
 displacement of eggs, 559.

- disturbance, × temperature, air, 561.
 handling, 428-9.
 landing after flight, 200, 203-4.
 loss of eggs, 184.
 young, 17.
 protean, 475.
 ritualized, 200, 218 *et seq.*, 229, 405, 566.
 sexual, aerial chase, 404.
 social,
 × nesting colony density, 194.
 of finches, 90 *et seq.*
 stimulation, × migration, 364.
 towards abnormal birds, 409.
 young, own, fledged, 564.
 variation, intraspecific, × structure, 89.
 while mate sitting, 434, 561.
- Bigamy, 183.
- Bill, abnormal, 518.
 carriage and movements, 28 *et seq.*, 199 *et seq.*, 428, 566.
 clattering, 31.
 cleaning, 218, 220.
 colour, variation, geographical, 195.
 form, × feeding behaviour, 184.
 function, 178.
 pressure, amount, 66.
 size, 65, 195.
 structure,
 × feeding behaviour, 63, 71.
 food, diet, 88.
- Biomass, of birds, 12.
- Bird sanctuaries, small, the case for, 477.
- Blood,
 circulatory system, 260.
 parasites, 115-7.
- Bobbing, 562, 566.
- Body, carriage and movements, 27 *et seq.*
 weight, in Laysan Albatross, 373-82.
- BOSWALL, J. H. R. & NORTH, M. E. W., Disco-
 graphy of bird sound from Ethiopian
 Region, 521-33.
- BOURNE, W. R. P., Subfossil petrel bones from
 Chatham Islands, 1-7.
 Long distance, vagrancy in petrels, 141-67.
 Problems affecting birds of oceanic islands,
 477.
- Bowing, 31, 203, 217, 229.
- Breeding,
 behaviour × food of young, 61-33.
 biology,
 gonads, condition, 117, 267.
 × daylength, 338 *et seq.*, 352 *et seq.*
 loss of young, 17.
 population density, 466.
 factors affecting, 266 *et seq.*
 of Cattle Egret in Guyana, 168-79.
 Double-banded Courser, 556-69.
 immigrant species, 168-79.
Montifringilla theresae, 117-8.
 White Booby, 194-231.
 phases,
 refractory period, 338, 352-58.
 function of, 348, 352.
 regeneration, 348.
 cycle, 198.
 × food, diet, 57.
 factors affecting, 14 *et seq.*
 of Swallow-tailed Gull, 14-24.
 density, 564.
- experience
 × breeding success, 22-3.
 ovulation, 269.
 territory, occupation of, 198.
- frequency, 14 *et seq.*, 152, 174, 297, 564.
 × population, local, changes in, 177.
 factors affecting, 14 *et seq.*, 375.
 variation, geographical, 23.
- grounds, movements to/from, 182, 310.
 return to, outside breeding season, 373,
 376.
- period, 171.
- season, 30, 152, 182, 187, 198, 401 *et seq.*, 564.
 × food supply, 62, 351.
 interbreeding, 554.
 isolation, interspecific, 310.
 rainfall, 30, 169, 176, 179.
 factors affecting, 62-3, 350, 352 *et seq.*,
 395-6, 408.
 variation, between nesting colonies, 553.
 geographical, 176.
- social, stimulation, 23, 172, 176, 220, 225,
 512.
- spread, 174.
 variation, seasonal, 169.
- start,
 × breeding success, 174, 190.
 food supply, 47, 49, 297.
- factors affecting, 173.
- success, 22, 187-91, 277, 408, 502 *et seq.*
 × population, local, changes in, 177.
 stimulation, social, 172, 176.
 factors affecting, 16, 22, 169 *et seq.*, 187 *et seq.*,
 307, 350, 375, 408, 502-12, 590
 et seq.
- formula, 510.
- of pairs, mixed, interspecific, 553.
- variation,
 interspecific, 349.
 seasonal, 188.
- synchronization of, in nesting colony, 16, 194.
 factors affecting, 512.
- time, factors affecting, 269.
- British Ornithologists' Union,
 Conferences, 473.
- Expeditions, 478-86.
- Funds, Research and Special Publications,
 648.
- Honours and Awards, 621.
- Meetings, 138, 471.
- Reports, 469-71.
- Rules, amendments to, 472.
- BRITTON, P. L., Migration across Mediterranean
 seen on radar, 445.
- Weights of Carmine Bee-eater, 606-14.
- BROBERG, G. L., Long-tailed Stint in Ethiopia,
 440.
- Broodiness, × hormones, 271.
- Brooding, displacement, 562.
- Brood parasitism, 405.
- Brood size, 170, 179, 189, 303, 401.
 × survival, 507, 579.
 factors affecting, 579 *et seq.*, 587, 591.
 variation, geographical, 579.
- Brood spots, 385, 561.
- BROWN, L. H., Choughs in Ethiopia, 275.
- BROWN, R. G. B., Species isolation in gulls,
 311-17.
- Breeding and population of gulls, 502-15.
- BRUDENELL-BRUCE, P. G. C., White-rumped
 Swift in Spain, 113-5.

- Buccal pouches, 61.
- BURTON, J. F., Use of B.B.C. sound recordings, 126.
- CAMERON, R. A. D., CORNWALLIS, L., PERCIVAL, M. J. L., & SINCLAIR, A. R. E., Migration of raptors and storks through Near East, 489-501.
- Camouflage, 557.
- CAMPBELL, B., Case for bird sanctuaries of small area, 477.
- CAMPBELL, D. H., *see* JOHNSTON, D. S.
- CANARY ISLANDS, Lanzarote, summer observations, 276.
- Captivity, 334.
- Caressing, 179.
- Ceremonies, 30, 202 *et seq.*, 224, 561, 568.
- CHATHAM ISLANDS, subfossil petrel bones, 1-7.
- CHEKE, A. S., Land birds over Mediterranean and Red Sea, 442-4.
- CLANCEY, P. A., Taxonomy of Southern African *Zosterops*, 318-27.
- CLAPP, R. B. & SIBLEY, F. C., Birds from Phoenix and Line Islands, 122-25.
And see SIBLEY, F. C.
- CLARKE, G., Bird notes from Aden Colony, 516-20.
- Cleptoparasitism, 398 *et seq.*
- Climate,
 × distribution, 138-9.
 speciation, 139.
 changes in, × distribution, 84.
- Cloud, × migration, 367, 369.
- Clutch(es),
 replacement, 17.
 interval after loss, 17.
 factors affecting, 588.
 size, 188.
 size, 16, 187, 224, 302 *et seq.*, 398, 401 *et seq.*, 430, 503, 505, 559, 563.
 × age of parents, 506.
 colonization, archaic, 582.
 fledging success, 591.
 food supply, 579.
 hatching spread, 475.
 success, 506, 508.
 incubation, start 475.
 latitude 170-1.
 nest site, 589.
 supply, 590.
 population density, 595.
 factors affecting, 188.
 stability in, 582.
 variation, 582.
 geographical, 505, 579, 584, 593.
 seasonal, 188, 408, 506, 579,
 factors affecting, 506.
- state,
 × breeding success, 190.
 desertion, 476.
 incubation, start, 187.
 predation losses, 188.
- COLLMAN, J. R., & CROXALL, J. P., Spring migration on the Bosphorus, 359-72.
- Colonization, 115, 138, 168, 552.
 archaic, × clutch size, 582.
 routes, factors affecting, 177.
- Colour(ing), of birds,
 abnormal, 409.
 factors affecting, 323.
- Colour pattern, 562-3.
- variation, geographical, 318.
- COMORO ISLANDS, Cuckoo-Roller in, 425-30.
- Competition, birds/
 birds,
 × age at first breeding, 586.
 behaviour, 230.
 rhythm, annual, 221.
 speciation, 89.
 factors affecting, 586 *et seq.*
 interspecific, 138, 407.
 × food, 79 *et seq.*
 nesting, 114, 169, 172-3.
 intraspecific, 194.
 × food, 78.
 hormones, secretion, 446.
 intersexual, 78.
- Congress, International Ornithological, XVth, 487.
 Pan-African Ornithological, 3rd, 296.
- Conservation, 477.
- Continental drift, 138.
- Copulation, 306, 401, 405.
 × laying, 182.
 ovulation, 267.
 pair formation, 182.
 behaviour, 29, 220, 403.
 false mounting, 29.
 frequency, 171.
 intrasexual, 267.
 ovulation without, 267-9.
 period, 182.
- CORNWALLIS, L., *see* CAMERON, R. A. D. *et al.*
- Courtship, behaviour, 204 *et seq.*, 217.
 feeding, × flock duration, 62.
 function, 508.
- COWLES, G. S., Palate of Red-necked Nightjar, 260-65.
- Crest, carriage and movements, 28 *et seq.*, 179.
- Crop milk, 252.
- CROXALL, J. P., *see* COLLMAN, J. R.
- CROZE, H., Carrion Crow—searching image and camouflaged prey, 475.
- Damage, by birds to
 crops, 239, 384.
 fisheries, 473.
 fruit, 440.
 × agricultural practice, 441.
- DAVIDSON, P. E., Oystercatchers as predators of commercial shell-fisheries, 473.
- Daylength,
 × breeding season, 62, 338-51, 352-88.
 brood size, 579.
 clutch size, 170.
 fat deposit, 356-7.
 gonads, condition, 388 *et seq.*, 352 *et seq.*
 moult, 356.
- Defaecation, 28, 401, 429.
- Defence, of
 eggs, 172.
 nest, 403.
 site, 173.
 self, 260.
 site, 227.
 territory, 183, 212, 564.
- Definitions, 10, 196, 581.
- Desertion of
 nest, 378, 408.
 × clutch, state, 476.
 factors affecting, 174, 403, 408.
 nesting colony, 510, 515.

- young, 380.
- Digestion, 36-7.
- time taken, 54.
- Dimorphism,
 - phases,
 - × pair formation, 306.
 - distribution of, 306, 365.
 - × latitude, 301.
 - sexual, origin of, 71.
- Disease, 185, 190.
 - parasites as vectors of, 115.
 - particular, "shock disease", 512.
 - virus, 185.
- Dispersal, of Lesser Frigate Birds, 328-37.
- Dispersion, 77 *et seq.*
- Display, 28-9, 179, 183, 198 *et seq.*, 301, 306, 386, 404-6, 517, 562.
 - × advertising, 203 *et seq.*
 - copulation, 403, 405.
 - defence of territory, 198 *et seq.*
 - nest materials, 206.
 - threat, 28-9 428.
- by young to adults, 202, 206.
- communal, 595.
- components of, 194 *et seq.*
- epideictic, 513, 594.
- factors eliciting, 28.
- flight, 173, 386, 406.
- intensity, factors affecting, 198 *et seq.*
- interspecific, 173, 202.
- mutual, 206.
- of gannets, 198 *et seq.*
- ritualized, 29, 31.
- sexual, 194 *et seq.*
- social, 28-9.
- Distribution, 431.
 - × altitude, 275.
 - barriers, physical, 168.
 - rainfall, 400.
 - archaic, 138-9.
 - factors affecting, 138-9, 141, 535, 537.
 - in winter quarters, 232 *et seq.*
 - of Lesser Frigate Birds, 328-37.
 - petrels, 141-67.
- Disturbance, 176.
 - × breeding success, 189.
 - desertion of nests, 408.
 - nest building, 545 *et seq.*
- Divergence, 314.
- Diving, 398 *et seq.*
 - behaviour, of New Zealand Shags, 600-5.
 - resting ratio, 603.
 - success, 603.
 - twenty/ten seconds rule, 603.
 - use of feet in, 601.
- Dominance, behavioural, 407.
- Drinking, 405, 565.
 - behaviour, 27, 177.
- DRIVER, P. M., Clicking of avian egg young, 434-6.
- DRIVER, P. M. & HUMPHRIES, D. A., Protean behaviour in birds, 475.
- Drought, × breeding, 173.
- Dust bathing, 222, 445.
 - as taxonomic character, 445.
- Eggs,
 - addled, 502.
 - colour, cryptic, 538.
 - described, 426, 430.
 - displacement, × incubation, 559.
 - fertility, 563.
 - loss of,
 - causes, 16.
 - replacement on, 17.
 - moving, 544, 568.
 - size, variation, geographical, 559.
 - strange, acceptance/rejection, 560.
 - turning, 568.
 - weight, 430.
- Eggshells, consistency, 405.
 - disposal, 224, 563.
- EGYPT, spring migration of raptors, 273-4.
- EMLEN, J. T., *see* PENNEY, R. L.
- ETHIOPIA, Choughs in, 275.
 - Long-tailed Stint in, 440.
 - Sudan Crowned Crane in, 431-2.
- ETHIOPIAN REGION, discography of bird sound from, 521-33.
- EVANS, P. R., Spring migration across Straits of Gibraltar, 648-9.
- Evolution,
 - convergence, 121.
 - divergence, 314.
 - of finches, British, 33-98.
 - trends in, 89.
- Expeditions,
 - Ascension Island, 229, 297.
 - Nigeria, Lake Chad, 478-9.
 - Turkey, 140.
- Exploitation by man, 1, 142 *et seq.*, 276, 334, 384.
- Extinct birds, 383, 387-8.
- Extinction of birds, 477.
 - causes, 387.
- Family bond,
 - × food, diet, 92.
 - duration of, 16, 564.
 - × survival, 596.
- FARNER, D. S., *see* SERVENTY, D. L.
- Fat, body, 163, 244, 258, 374.
 - × breeding, 118.
 - food, diet, 120.
 - supply, 12, 118.
 - migration, intratropical, 118-20.
 - amount, × feeding of young, 120.
 - deposit, 349, 355-6.
 - factors affecting, 357.
- Fear, 429.
 - × behaviour, 198 *et seq.*
- FEARE, C. J., Predation of shore birds on Dog-whelks, 474.
- Feathers,
 - carriage and movements, 206.
 - factors affecting, 194 *et seq.*
 - variation, intersexual, 223.
 - maintenance, 122-3.
 - replacement, growth of, 355.
- Feeding,
 - behaviour, 266, 177, 386, 402 *et seq.*, 517.
 - × heredity, 413.
 - speciation, 87 *et seq.*
 - changes in, 39.
 - communal, local enhancement, 90-91.
 - development of, 413.
 - factors affecting, 63 *et seq.*, 412 *et seq.*
 - new, 91.
- "ECHO" Institute, formation of, 296.
- Ecology, of *Accipiter*, 476.
- ECUADOR, South West, bird records from, 534-538.

- of abnormal birds, 518.
- flocks, 90.
- New Zealand Shags, 400-5.
- Oystercatchers, 412-24.
- ontogeny of, 87-8.
- social, 90.
- ecology, 177, 314, 386, 402, 407, 600-5.
- × predation losses, 177.
- of finches, British, 33-98.
- false feeding, × nest building, 54-6.
- foraging index, defined, 10.
- frequency, rate, 473.
- factors affecting, 475.
- grounds, communal, 55, 400.
- of birds by man, 83.
- mate, × incubation, 62.
- young,
 - by parents, 225-6, 376.
 - × brood size, 579 *et seq.*
 - frequency, 226, 430, 563, 607.
 - × weight, 376.
 - share of sexes, 62, 427, 563.
 - parents and others, 120.
- range, 46, 90, 373, 399, 409, 509.
- search images, 475.
- success, 27, 71.
- time preference, 15, 36, 561, 607.
- use of feet in, 76, 88.
- Fertility, × young, care of, by parents, 586.
- of hybrids, 553.
- Field recognition, 518.
- on radar, 476.
- Fighting, 194 *et seq.*, 400.
- behaviour, 198.
- Fishing behaviour, 517, 600-5.
- FISHER, H. I., Body weights in Laysan Albatrosses, 373-82.
- Fledging, period, 373, 474.
- factors affecting, 63.
- success, 189, 503.
- factors affecting, 226.
- Flight,
 - behaviour, 26, 400, 404.
 - of migrants, 273, 476, 494, 499.
 - catching objects in, 57, 66.
 - display, 26, 204 *et seq.*, 386.
 - landing, 26, 200, 203-4.
 - moth, 386.
 - sexual, aerial chases, 305.
 - soaring, 26, 400.
 - speed, 256, 509.
 - studied by radar, 476.
 - take off, 26, 404.
 - wing beat rate, 26, 476.
- Flightlessness, temporary, 304.
- Flocks,
 - behaviour, 398, 622.
 - composition, 90, 303 *et seq.*
 - duration, 90, 117, 301, 395, 401-2.
 - feeding behaviour, 90.
 - formation, 244.
 - function, 622.
 - mixed hunting parties, 595.
 - size, 47-8, 90, 140, 168, 250, 275, 301 *et seq.*, 363-4, 368, 395, 399 *et seq.*, 430, 439, 446, 481 *et seq.*, 536, 564, 601.
 - × food supply, 622.
 - habitat, 90.
 - social organization of, 622.
- Flooding, × breeding success, 189, 408.
- nest size, 548.
- Fog, × migration, 367-9.
- Food,
 - carriage, of, methods, 61.
 - diet, 26, 177, 386, 427, 474, 565.
 - × age, 63, 112.
 - bill structure, 80.
 - breeding behaviour, 61-3.
 - fat deposit, 120.
 - parasite infestation, 112.
 - structure, 476.
 - changes in, 34.
 - factors affecting, 57, 92.
 - variation, seasonal, 8-13, 39 *et seq.*, 83.
 - discrimination, 65, 87.
 - grasping methods, 63-5.
 - in captivity, 26.
 - intake, amount, 269, 373, 430, 473, 475.
 - method of assessing, 36-7.
 - of finches, British, 39 *et seq.*
 - Purple Martin, 8-13.
 - Swallow-tailed Gull, 15.
 - particular,
 - molluscs, force required to detach, 418.
 - method of opening, 69, 412.
 - seeds, method of husking, 63 *et seq.*
 - preparation of, 63-6.
 - traditional, 92.
 - washing, 26.
- Food begging, by young, 199, 203, 225-6.
- Food supply,
 - × breeding season, 62.
 - start, 297.
 - success, 228.
 - brood size, 579.
 - flock size, 622.
 - mortality, 622.
 - nesting colony size, 196.
 - population density, 583.
 - dynamics, 509.
 - rhythm, annual, 12.
 - weight, of birds, 608.
 - changes in, permanent, 92.
 - factors affecting, 34.
 - location of, 90.
 - special, birds congregating for, 517.
 - variation, annual, 92.
 - geographical, 92.
- Foraging index, defined, 10.
- FORBES-WATSON, A. D., Observations at nest of Cuckoo-Roller, 425-30.
- Forestry, practice, × food supply, 92.
- Fossils, 1-7, 138, 145.
- Fraser Darling effect, 595.
- FRY, C. H., Lipid levels in an intra-tropical migrant, 118-20.
- Gaping, 229.
- Gause's hypothesis, 33, 78.
- GAYMER, R., Threat to Aldabra, 477.
- Genetics, × predation, 279.
- GIBALTAR, spring migration, 648-9.
- Glands,
 - endocrine,
 - × flocks, social organization of, 622.
 - population density, 446, 622.
 - toxic chemicals, 270.
 - pituitary,
 - × breeding, 338 *et seq.*, 355.
 - secretion, factors affecting, 270-1.
- salt, 223, 563, 567.

- GOSS-CUSTARD, J. D., Winter predation of *Corophium* by Redshank, 475.
- GUANO, 477.
- GURR, L., Interbreeding of New Zealand gulls, 552-55.
- Habitat,
 × behaviour, 233.
 breeding success, 228.
 changes in, effects, 169.
 × agriculture, livestock, 395.
 hybridization, 311-17.
 population, local, changes in, 177.
 destruction of forests, 387.
 draining of marshes, 177.
 irrigation, 232.
 seasonal, factors affecting, 54.
 dispersion over, 38.
 preference, 38-9, 87, 537.
 × isolation, specific, 310.
 change in, permanent, 82, 92, 324.
 factors affecting, 38 *et seq.*
 studies, islands, oceanic, 477.
 marshes, 391-411.
- HARRIS, M. P., Biology of Oystercatchers, 180-93.
- HARRISON, C. J. O., Sideways-throwing and -building, 539-51.
- Hastings rarities, 141, 145, 157.
- Hatching, emergence from egg, time taken, 559.
 interval, rate, spread, 179, 224, 475.
 × brood size, 591.
 factors affecting, 437, 475-6.
 success, 188, 474, 502, 515, 564.
 factors affecting, 189, 506, 508, 561.
 variation, seasonal, 508.
- Head, carriage and movements, 25 *et seq.*, 199 *et seq.*, 406, 428, 539 *et seq.*, 566, 601.
 rubbing, 27.
 scratching, 27.
- Heat, effects, 565-7.
- HÖHN, E. O., Density-dependent endocrine population regulating mechanism, 445.
- Hormones, 270.
 × breeding biology, 338-51, 352-8.
 moult, 356.
 sex, secretion, factors affecting, 446, 622.
- HUMPHRIES, D. A., *see* DRIVER, P. M.
- Hunting success, 27.
- Hybrids, 147, 154, 310, 314 *et seq.*, 553.
 fertility of, 553.
- Hybridization, 139.
 factors affecting, 316.
- Ice, formation, × navigation, 107-8.
- Inbreeding, 381.
- Incubation,
 × nest building behaviour, 539 *et seq.*, 561, 568.
 behaviour, 224, 566.
 × hatching success, 507.
 temperature, air, 561.
 on more than one nest, 183.
 nest, empty, 559.
 of another, intraspecific, 183.
 period, 16, 171, 401, 559.
 position on nest,
 × eggs, position of, 561.
 sun, 561.
 relief of mate, 224, 561, 568.
 share of sexes, 16, 179, 224, 561.
 × bigamy, 183.
 weight of birds, 277.
 start, × clutch size, 224, 475.
 state, 187, 529, 434, 475.
- INDIAN OCEAN, Aldabra, 477, 650.
 Migrant waders, 437-9.
 Rodriguez Island, birds of, 383-90.
- Institut pour l'Enregistrement et Etudes des Chants et Cris d'Oiseaux, 296.
- Interbreeding, 552-55.
- International Commission on Zoological Nomenclature, use of plenary powers, 296, 488.
- International Ornithological Congress, XVth, 487.
- Introduction of species, 383-4.
- Isolation,
 ecological, 77 *et seq.*
 geographical, 86.
 reproductive, 320.
- JEFFERIES, D. J., Effects of pp'-DDT on ovulation, 266-72.
- JOHNSTON, C. S., CAMPBELL, D. H. & ROLWEGAN, M. R., Summer observations on Lanzarote, 276.
- JOHNSTON, R. F., Seasonal variation in food of Purple Martin, 8-13.
- KAHL, M. P., Behaviour of Hamerkop, 25-32.
- KEVE, A., Juvenile plumage of Jay, 120-22.
- LANGHAM, N. P., Synchronization of laying in terns, 476.
- Laying,
 date, × breeding success, 188.
 frequency, interval, rate, spread, 171, 187, 224, 401, 434.
 in nesting colony, 476.
 start, 311.
 × breeding success, 504, 508.
 nesting colony, return to, 476.
 pair formation, 267.
 factors affecting, 267, 307, 512.
 synchronization, within colony, 512.
 time, preference, 16, 434.
- Learning, 64, 87 *et seq.*
 ability, 89.
 insight learning, 77.
- LEBANON, migration of raptors and storks in autumn, 489-501.
- Legs and feet,
 carriage and movements, 199 *et seq.*
 colour, variation, 195.
 length, × body weight, 75.
 use of, in feeding, 76, 88.
 diving, 601.
- Leks, 585.
- Light, natural, intensity, × behaviour, 203.
- Lights, birds attracted to, 142.
- LINE ISLANDS, new records of birds from, 122-5.
- LOFTS, B., MURTON, R. K. & WESTWOOD, N. J., Photo-responses of Woodpigeon in relation to the breeding season, 338-51.
- Experimental demonstration of post-nuptial refractory period in Turtle Dove, 352-58.
- LOWE-McCONNELL, R. H., Biology of Cattle Egret in Guyana, 168-79.
- LUCCA, C. De, *Cisticola juncidis* in Malta, 623.

- MACLEAN, G. L., Breeding biology and behaviour of Double-banded Courser, 556-69.
- MALTA, *Cisticola juncidis* in, 623.
- Mandibulation, of nest materials, 179.
- MANSON-BAHR, Sir P. H., obituary, 447.
- Markets, 144.
- Markov chain, *see* Behaviour.
- MARKUS, M. B., *see* OOSTHUIZEN, J. H.
- MASCARENE ISLANDS, Rodriguez Islands, birds of, 383-40.
- Mate,
change of, 17, 183.
× territory, retention, 183.
selection, behaviour, 204 *et seq.*
- Mating, interspecific, barriers to, 405.
- MEDITERRANEAN, Land birds over, 442-4.
- Migration seen on radar, 445.
- MEINERTZHAGEN, R., obituary, 617.
- Migrants,
behaviour, 119, 273, 363 *et seq.*, 476, 494, 499.
composition, 364 *et seq.*, 495.
sex, 70.
flocks, size, 140, 363-4, 369, 442, 473.
- Migration,
× stimulation, social, 364.
topography, 489 *et seq.*
weather, 361 *et seq.*, 490 *et seq.*, 516.
wind, 363 *et seq.*, 649.
across desert, 232-59, 501.
sea, 442-4, 445, 499.
coasting, 301.
displaced, 161-2.
distance travelled, 118, 244, 253, 334, 336.
diurnal, 85.
drift, correction for, 649.
factors inducing, 648-9.
height, 238 *et seq.*, 273, 442-3, 496-8.
factors affecting, 496.
in Egypt, 273-4.
Gibraltar, 648-9.
Lebanon, 489-501.
Mediterranean, 442-5.
Near East, 489-501.
Red Sea, 442-4.
Sahara, 232-59.
Turkey, 359-72, 489-501.
loop migration, 236, 251, 363.
nocturnal, 85, 363-4.
of non-breeding birds, 16.
raptors, 273-4, 489-501.
storks, 489-501.
water birds, over Sahara, 232-59.
on radar, 445.
routes, 145 *et seq.*, 232-59.
× water, 274.
selection, factors affecting, 245, 274.
season, 537.
variation, annual, 363.
speed, 363.
start of, variation, interspecific, 497-8.
time preference, 365, 369, 496, 500.
volume and spread, 140, 271-2, 301, 359 *et seq.*, 438-9, 490 *et seq.*, 516, 537, 648.
variation, 316, 368.
annual, 238.
geographical, 244-5, 648.
seasonal, 255-6, 259 *et seq.*
- Zugscheide, 244.
- Milk-bottle opening, 441.
- MILLER, A. H., obituary, 280.
- MILLS, E. L., Bird records from southwestern Ecuador, 534-38.
- Mimicry, vocal, calling up, 428, 430.
- Moon, × feeding, time preference, 561, 565.
- MOREAU, R. E., Water birds over Sahara, 232-59.
- Dust-bathing in Ploceidae, 445.
- Mortality, 398.
× food supply, 622.
causes, 185, 189, 226, 403, 446, 503-4, 508, 584.
density dependent, 595.
rate, 185, 509.
× age, 191, 510.
formula, 510.
variation, seasonal, 508.
- Moult, 222, 252, 355-6, 384 *et seq.*, 400, 402.
× breeding, 17, 18, 356.
food supply, 12.
migration, 119.
weight, 376.
duration, 119.
factors affecting, 356.
frequency, 356.
period, season, 124, 182-3, 376.
topography, 17, 376, 400.
- Mouth, colour, 427.
- Movements,
× associations/man, shipping, 150.
food supply, 12, 364, 367, 474.
snow, 83, 86.
storms, 157 *et seq.*
weather, 39.
archaic, 138-9.
assisted passage, 142, 161.
barriers to, physical, 142.
factors affecting, 142 *et seq.*, 567.
irregular, 141-67.
local, 367.
× food supply, 39, 48, 78, 84.
weather, 182.
seasonal, 39, 44, 182, 328-37, 402.
- MURTON, R. K., Significance of endocrine stress in population control, 622.
And see LOFTS, B.
- Mutations, 381, 582 *et seq.*
- Names, vernacular, 401, 406-7, 425.
- Navigation,
direction maintenance, 106-9.
factors affecting, 107-8.
in Adelie Penguin, 99-109.
- NEAR EAST, migration of raptors and storks, 489-501.
- NELSON, J. B., Breeding behaviour of White Booby, 194-231.
- Nests, aspects, 30.
- Nest building,
× behaviour, aggressive, 541.
incubation, 539 *et seq.*
pair-bond maintenance, 218.
after eggs hatched, 408.
laid, 539 *et seq.*
- behaviour, 30-31.
evolution of, 539, 547, 568.
sideways building, 539-51.
by nestlings, 544.
displacement, 220, 545, 568.
share of sexes, 30-31, 386.
start of, factors affecting, 173.
symbolic, 204, 217.

- time preference, 30.
taken, 30.
- Nests, completion after eggs laid, 30.
described, 386.
form and structure, 30.
× clutch, replacement, interval after loss, 588.
- Nesting colonies,
arrangement of nests in, 172, 398.
composition of, 552-3.
× interbreeding, 554.
defined, 196.
density and size, 196-7, 302, 307, 310, 328, 398, 474, 512, 606.
× behaviour, social, 194.
defence of nesting colony, 512.
food supply, 196.
hatching success, 476.
changes in, 302, 307, 509.
factors affecting, 196.
destruction of, 515.
mixed, 169, 176, 398.
movements to/from, × weight of birds, 380.
occupation/vacation, 510.
return to, 310.
site, of, 14, 16, 195-6.
× breeding cycle, 20.
interbreeding, 554.
preference, species specific, 552.
sub-colonies, 476.
- Nesting groups, size, 197.
- Nest materials,
× courtship, 194 *et seq.*
amount, 30.
carriage, 26, 548.
collection, rate, 30.
manipulation, 539 *et seq.*, 561, 568.
supply, × nest size, 545.
- Nest parasites, 426.
sanitation, 426-7.
scrapes, × laying, start, 187.
- Nest site, 16.
× breeding success, 16, 22, 188, 190, 504, 508, 590.
clutch size, 589.
isolation, interspecific, 311.
shade, 172.
vegetation, state, 172.
water, 400 *et seq.*
depth, 430.
weight of birds, changes in, 590.
change of, while laying, 187.
factors affecting, 557.
preference, factors affecting, 172.
in nesting colony, 171-2.
prospecting, share of sexes, 198.
selection, × pair formation, 173.
supply,
× clutch size, 590.
laying start, 307.
- Nest size, 30.
× nest site, 544.
factors affecting, 545 *et seq.*
- Nests used
again, 30.
by other species, 114, 398, 402, 405, 407.
for subsequent broods, 18.
by more than one hen, 183, 302, 403, 405, 582.
for roosting, 30, 608.
- Nests, weight, 30.
- NEWTON, I. & WILLIAMS, I. C., Trematode infection of Bullfinches, 110-13.
- NEW ZEALAND, interbreeding of gulls, 552-55.
- NICHOLLS, C. A., *see* SERVENTY, D. L.
- NIETHAMMER, G., Breeding biology of *Montifringilla theresae*, 117.
- NIGERIA, B. O. U. Expedition to Lake Chad, 478-86.
- Non-breeding birds, 154, 182, 184-5, 277, 305, 307, 375, 399 *et seq.*, 439, 446.
movements, 16.
weight, 375.
- NORTH, M. E. W., *see* BOSWALL, J. H. R.
- NORTON-GRIFFITHS, M., Feeding ecology of Oystercatcher, 412-24.
- Obituaries,
BAILEY, F. M., 617.
MANSON-BAHR, Sir P. H., 447.
MEINERTZHAGEN, R., 617.
MILLER, A. H., 280.
- Ocean(s),
islands, problems affecting birds of, 477.
temperature, × distribution, 141, 535, 537.
- Ocean currents,
× distribution, 535, 537.
movements, 142, 151.
navigation, 107-8.
- Ogilvie, M. A. & TAYLOR, R. J. F., Summer records from West Spitzbergen, 299-309.
- Oiling of plumage, 223.
- OLNEY, P. J. S., Avocets—their prey and predators, 474.
- Ontogeny, of feeding behaviour, 87-99.
- OOSTHUIZEN, J. H. & MARKUS, M. B., Haematozoa of South African birds, 115.
- Orientation,
direction, changes in, 106, 108.
factors affecting, 107-8.
initial, on release, distant, 99 *et seq.*
re-orientation, 108.
sun compass, 99 *et seq.*
- ORING, L. W., Egg laying of a Golden Plover, 434.
- Ornithology, history of, 143.
- Osteology, 570-78.
- Over-crowding, × population dynamics, 512, 580, 595.
- Ovulation,
× toxic chemicals, 266-73.
factors affecting, 267.
without copulation, 267-9.
- OWEN, D. F., Interpretation of polymorphism in African Bush Shrikes, 278-9.
- PACIFIC, Phoenix and Line Islands, birds of, 122-25.
Fregata ariel in, 328-37.
- Pair-bond, duration, 30, 183, 381, 401, 404.
maintenance, factors affecting, 218.
- Pair formation, 182.
× flock duration, 62, 182.
nesting colony, return to, 476.
behaviour on, 204 *et seq.*, 312.
× isolation, interspecific, 312.
factors affecting, 173.
interspecific, 310 *et seq.*
- Palate, of Red-necked Nightjar, 260-65.
- Paper tearing, 441.
- Parasites,
distribution of, on host, 110-13.

- ectoparasites, 426.
 effect on birds, 112.
 endoparasites, haematozoa, 115-7.
 helminths, 185.
 trematodes, 110-13.
 infestation, \times food, 110-13.
 rate of, 112.
 number present, 112.
 on food/prey, 474.
 Pecking behaviour, 87.
 PENNEY, R. L. & EMLÉN, J. T., Distance
 navigation in Adelie Penguin, 99-109.
 Perching behaviour, 28.
 PERCIVAL, M. J. L., *see* CAMERON, R. A. D.
 PHOENIX ISLANDS, birds of, 122-25.
 Plumage,
 as taxonomic character, 120-22.
 carriage, and movements, 28 *et seq.*, 565.
 change, \times rainfall, 171.
 seasonal, 409, 536.
 cleaning, 222.
 drying, 601.
 eclipse, 301.
 of Jay, juvenile, 120-22.
 shaking, 222.
 Pneumatization of cranium of Zebra Finch,
 570-78.
 Polyandry, 429.
 Polygamy, 585.
 Polymorphism, 158, 278-9.
 factors affecting, 475.
 Population,
 changes, 277.
 \times disease, 115.
 population changes of man, 388.
 factors affecting, 115.
 seasonal, 238 *et seq.*,
 composition, \times selection, 582-3.
 breeding/non-breeding, 277.
 control, 579 *et seq.*
 density, 445.
 \times breeding season, 63.
 hormones, secretion, 446, 622.
 factors affecting, 583, 586.
 optimum, defined, 581.
 dynamics, 191, 502 *et seq.*
 \times glands, endocrine, 445, 622.
 mortality, 580.
 factors, 226, 502-15, 579 *et seq.*
 density dependent, 445, 593-6.
 theories of, adjusted reproduction, 580.
 maximum reproduction, 580.
 local,
 changes in, 1, 181, 190, 303-4, 387, 509.
 \times breeding frequency, 117.
 success, 177.
 discrete, 185.
 factors affecting, 39, 177 *et seq.*, 304, 386.
 seasonal, 41 *et seq.*, 48-9, 54, 60, 84, 473.
 overpopulation, 446, 622.
 structure, \times age, 186.
 Predation,
 \times breeding success, 504-5.
 clutch, state, 188.
 polymorphism, 279.
 population density, 583.
 dynamics, 509.
 defences against, 504 *et seq.*, 515.
 factors affecting, 476.
 losses, 474, 564.
 factors affecting, 177, 504-5.
 on birds by
 birds, interspecific, 16, 189, 304, 474, 515,
 515, 562.
 on eggs, 172, 188, 302.
 intraspecific, 307, 503 *et seq.*
 young, *inter se*, 591.
 fishes, 176.
 mammals, 304, 403, 429, 474, 503, 515,
 562.
 man, 1, 177, 276, 384, 503, 515, 562.
 reptiles, 562.
 rate, variation, seasonal, 504-5.
 Predator-reaction, 16, 222, 228, 401, 434, 562-3.
 Predators, of Avocets, 474.
 Preening, 27, 197, 222-3, 566.
 allo-preening, 227, 229.
 displacement, 566.
 mutual, 204, 227, 229.
 social, 27.
 stab-preening, 223.
 stations, 225.
 Prey, biomass of, 11.
 camouflage of, factors affecting, 475.
 of Avocets, 474.
 parasites of, 474.
 Progression, on land, speed of, 106.
 Radar, flight seen on, 476.
 "signature" of target, 478.
 Rain, \times breeding season, 169, 174, 179.
 start, 173.
 \times colonization, by birds, 177.
 colouring, 323.
 desertion of nest, 174.
 migration, 366, 369.
 movements, 537.
 nest building, start, 173.
 size, 548.
 population changes, 177.
 range, alterations, 177.
 weight, of birds, 610, 612.
 Range, alterations in, 115, 138, 277, 509, 519.
 Recognition,
 interspecific, of eggs, 560.
 nest, 560.
 intraspecific, of mate, 215.
 Recordings, of bird sounds, Ethiopian Region
 521-33.
 RED SEA, land birds over, 442-4.
 Reproduction, adjusted, theory of, 580.
 maximum, theory of, 580.
 rate, adaptive limitations of, 579-99.
 Respiration, in young, unhatched, 434-6.
 Resting, 197, 400 *et seq.*
 Rhythm,
 annual, 12, 14 *et seq.*, 41 *et seq.*, 54, 60, 119,
 182, 238 *et seq.*, 350, 398 *et seq.*, 474,
 534 *et seq.*, 600.
 factors affecting, 221, 537.
 circadian, 106, 108.
 daily, 15, 46, 201, 398, 561, 565, 600-1, 606.
 \times food supply, 567.
 factors affecting, 221.
 internal, 348-9.
 Ringing, rings, types, duration, 187.
 recoveries, 169, 238 *et seq.*, 328 *et seq.*
 RODRIGUEZ ISLANDS, birds of, 383-90.
 ROLWEGAN, M. R., *see* JOHNSTON, C. S.
 Roosts, roosting, 178-9, 182, 400, 407, 600-1,
 608.
 behaviour, 37, 79.

- variation, between populations, 55.
- communal, 41, 595.
- composition, 169, 182.
- mixed, 169.
- platforms, 400.
- size, 50, 168.
- Roughage, 61.

- SAHARA, water birds over, 232-59.
- Salt, glands, 223, 563, 567.
- SCHAEFER, G. W., Bird flight by radar, 476.
- Scratching, 223, 566.
- Sea Bird Group, formation, 297.
- Secondary sexual characters, 313.
- Seeds, digestion of, 36-7.
- germination after being eaten, 37.
- SEEL, D. C., Hatching synchrony in House Sparrow, 475.
- Segregation, of populations, 55-6.
- Selection,
 - × population composition, 582-3.
 - apostatic, 279.
 - group, 583, 622.
 - natural, 86 *et seq.*, 176, 348-50, 475, 582 *et seq.*
 - pressures, 87, 314.
- SERVENTY, D. L., NICHOLLS, C. A. & FARNER, D. S., Pneumatization of cranium of Zebra Finch, 570-78.
- Sex, sexes,
 - ratio, 301-2, 306, 404.
 - in winter quarters, 70, 78.
 - segregation, seasonal, 303.
- Sexing methods, Oystercatchers, 181.
- Shade, 565-7.
- Shading of, eggs, 561.
- young, 225.
- SIBLEY, F. C. & CLAPP, R. B., Distribution and dispersal of Central Pacific Lesser Frigate Birds, 328-37.
- And see* CLAPP, R. B.
- SINCLAIR, A. R. E., *see* CAMERON, R. A. D.
- Sitting behaviour, 28.
- Size, 181-2.
- × altitude, 318.
- temperature, air, 318.
- abnormal, 381.
- SKUTCH, A. F., Adaptive limitation of reproductive rate of birds, 579-99.
- Sleeping, 223.
- Smell, of nests, 426.
- SNOW, D. W. & B. K., Breeding cycle of Swallow-tailed Gull, 14-24.
- Snow, × habitat change, 54.
- effect on birds, 83, 85.
- Soliciting, by hen, 29, 217, 220, 386.
- Song, singing,
 - × territory, 62.
 - choral, 594-5.
 - described, 386.
 - duetting, 386.
 - epideictic, 594-5.
 - female, 386.
 - recordings, 296.
 - from Ethiopian Region, 521-33.
- Sound recordings, 296, 521-33.
- scientific use of, 126.
- Sounds, mechanical, 230, 406, 428.
- in young, unhatched, 434-6.

- SOUTH AFRICA, Double-banded Courser in, 556-69.
- SOUTH GEORGIA, penguins in, 277-8.
- SPAIN, White-rumped Swift in, 113-5.
- Specialization, 31, 228.
- Speciation, 63-67, 86 *et seq.*, 318 *et seq.*
 - × feeding behaviour, 87 *et seq.*
 - factors affecting, 87 *et seq.*, 138-9.
- Species, incipient, 86.
- isolation, 311-17.
- pairs, 138.
- ring, 310.
- sibling, 2, 158.
- SPITZBERGEN, West, summer records from, 299-309.
- Standing behaviour, 210 *et seq.*
- STONEHOUSE, B., Expanding population of *Pygoscelis antarctica* in South Georgia, 277.
- Storms, effect, of, 387.
- Stretching, 27.
- String-pulling, 77.
- Structure, × food, 476.
- variation, intraspecific, 89.
- Subspecies, characters of, development of, 121.
- Sunbathing, 224, 400.
- Survival,
 - × family bond duration, 596.
 - weight, of birds, 378.
 - rate, 185, 503, 585.
- Swimming, 400.

- Tail, carriage and movements, 199 *et seq.*, 406, 562, 566.
- Tameness, 302, 428-9.
- Taxidermy, as source of errors, 144.
- Taxonomy,
 - characters in,
 - behaviour, 25-32.
 - dust-bathing, 445.
 - plumage, 120-22.
 - of Cuckoo-Roller, 430.
 - ducks, 405.
 - Hamerkop, 25, 31.
 - Zosterops*, 318-27.
- TAYLOR, R. J. F., *see* OGILVIE, M. A.
- Temperature,
 - air, × defaecation, 28.
 - hatching success, 561.
 - size, 312.
 - tenacity to nest, close sitting, 561.
 - weight, of birds, 608.
- body, regulation of, 565.
- sea, × distribution, 535, 537.
- soil, × feeding rate, 475.
- Tenacity to
 - behaviour pattern, 89.
 - birth place, 181, 184, 381.
 - feeding place, 407, 412.
 - food supply, 46.
 - mate, 30, 183.
 - nest, 16, 18, 30.
 - close sitting, 401.
 - factors affecting, 561.
 - nesting colony site, 587.
 - nest site, 17, 183, 381.
 - after fledging, 171.
 - own species, in nesting colony, 552-3.
 - resting place, 227.
 - roost, 182.
 - site, factors affecting, 220-1.

- variation, intersexual, 220.
territory, 183.
 in nesting colony, 512.
 variation, interspecific, 184.
- TENNENT, J. R. M., Spring migration of birds of prey near Suez, 273-4.
- Territory, 429.
 × population density, 583.
 boundaries, establishment of, 197.
 change of, 183-4.
 function of, 61.
 in nesting colonies, 194 *et seq.*
 multiple, in nesting colony, 198.
 occupation of, 182-4, 187.
 × pair formation, 312.
 by unmated birds, 312.
 retention of, on change of mate, 183.
 selection, × breeding, start, 183.
 pair-bond, 228.
 size, 183, 564.
 × behaviour, 214.
 in nesting colony, 184.
- Thermals, × migration, 273-4, 489 *et seq.*, 501.
- Toxic chemicals, × ovulation, 266-72.
- Traps, trapping, methods, 15.
- TURKEY, migration in, 359-72, 489-501.
- Unmated birds, 204 *et seq.*, 311-2.
 breeding by, 588-9.
- URBAN, E. K., & WALKINSHAW, L. H., Sudan
 Crowned Crane in Ethiopia, 431-3.
- Vegetation, state of, × movements, 537.
 nest site preference, 172-3.
- Voice,
 audibility range, 400, 564.
 contact notes, 26.
 described, 399.
 recordings, from Ethiopian Region, 521-33.
 vocabulary, 118, 195, 202 *et seq.*, 385-6, 429, 562-5.
- Walking behaviour, 25.
- WALKINSHAW, L. H., *see* URBAN, E. K.
- Water, depth,
 × breeding success, 408.
 movements, 408 *et seq.*
 distribution, × breeding season, 395.
- Watering of young, 61.
- WATTEL, J., Ecology and structure in *Accipiter*, 476.
- Weather,
 × feeding rate, 475.
 time preference, 36.
 migration, 361 *et seq.*
- Weight, of
 birds, 117, 182, 195, 365-7, 590, 601.
 × age, 379.
 behaviour, aggressive, 226-7.
 breeding cycle, 373-83.
 success, 375.
 feeding behaviour, 71.
 leg length, 75.
 survival, 378.
 abnormal, 381.
 changes in, factors affecting, 590.
 factors affecting, 373 *et seq.*, 608 *et seq.*
 of Carmine Bee-eater, 606-14.
 Laysan Albatross, 373-82.
 variation in,
 daily, 606-14.
 intersexual, 374 *et seq.*
 seasonal, 252, 256-7, 373 *et seq.*, 612.
 eggs, × weight of birds, 374.
- WELLER, M. W., Marsh birds of Cape San Antonio, Argentina, 391-411.
- WESTWOOD, N. J., *see* LOFTS, B.
- WILLIAMS, I. C., *see* NEWTON, I.
- Wind, × migration, 363 *et seq.*
 movements, 333.
- Wings, carriage and movements, 25 *et seq.*, 199 *et seq.*, 386, 562, 566, 601.
 length, 195.
- Winter quarters,
 × breeding grounds, 474.
 distribution in, 232 *et seq.*
 selection of, factors affecting, 256.
 variation, annual, individual, 84.
 " Wrecks ", 157 *et seq.*
- Yawning, 28.
- Young,
 care of,
 by parents, 172, 225, 427.
 × brood size, 179 *et seq.*
 fertility, 596.
 duration, 16, 119.
 share of sexes, 117, 271.
 parents and others, 120, 592.
 development of, behavioural, 563.
 physical, 563, 570 *et seq.*
 display by, to adults, 202, 206.
 eviction of, from nest of others, 174.
 killed by parents, factors affecting, 271.
 loss of, × rhythm, annual, 17.
 shading, of, 225.
 unhatched, sounds made by, 434-6.
- Zoo-geography, Australia, 138-9.

INDEX OF SCIENTIFIC NAMES

Each name is indexed under its genus and its species and, where trinomial, also under its subspecies.
 "All names appearing in black Clarendon type are of newly described species or subspecies."

- abbotti, *Dryolimnas* c., 477.
 —, *Sula*, 194.
 abdimii, *Ciconia*, 483.
 abyssinica, *Cecropis*, 533.
 —, *Coracias*, 485.
 —, *Hirundo*, 527.
 abyssinicus, *Turtur*, 484.
 Acanthis, 85.
 —, *flammea*, 95.
 Accipiter atricapillus, 476.
 — brevipes, 361, 362, 366, 476, 490, 499.
 — cooperii, 476.
 — francesii, 429.
 — gentilis, 366, 476, 490.
 — minullus, 532.
 — nisus, 271, 273, 361, 362, 366, 476, 490, 495, 499, 648.
 — soloënsis, 476.
 — striatus, 476.
 Acridotheres tristis, 385, 389.
 Acrocephalus arundinaceus, 485.
 — baeticatus, 532.
 — dumetorum, 485.
 — gracilirostris, 485.
 — rufescens, 485.
 — schoenobaenus, 485, 520.
 — scirpaceus, 485.
 Actitis hypoleucos, 439.
 — macularia, 536, 538.
 Actophilornis africanus, 483, 526, 543, 551.
 acuminata, *Erolia*, 123.
 acuta, *Anas*, 237, 238, 483, 519.
 acutirostris, *Calandrella*, 117.
 —, *Heteralocha*, 71.
 adeliae, *Pygoscelis*, 99–109, 277.
 adsimilis, *Dicrurus*, 486, 527.
 aedon, *Troglodytes*, 538.
 Aegothales cristatus, 264.
 Aegyptius tracheliotus, 483.
 aegyptiacus, *Alopochen*, 483, 526.
 aequatorialis, *Dysithamnus* m., 537.
 aequinoctialis, *Procellaria*, 3, 144, 151.
 aeruginosus, *Circus*, 367, 483, 490.
 aethereus, *Phaethon*, 16, 163.
 aethiopica, *Hirundo*, 485.
 —, *Threskiornis*, 483.
 aethiopicus, *Laniarius*, 527.
 aethiops, *Myrmecocichla*, 485.
 afer, *Euplectes*, 486.
 —, *Nilaus*, 485, 527.
 —, *Turtur*, 526.
 affinis, *Apus*, (Plate 2), p. 113, 260, 484, 649.
 —, *Caprimulgus*, 264.
 africana, *Coturnix* c., 526.
 africana, *Mirafr*a, 526.
 —, *Upupa*, 526.
 africanus, *Actophilornis*, 483, 526, 543, 551.
 —, *Bubo*, 528, 532.
 —, *Buphagus*, 486.
 —, *Phalacrocorax*, 482.
 —, *Pseudogyps*, 526.
 —, *Rhinoptilus* (Plates 14–16), 556–569, 675.
 Agapornis cana, 387, 389.
 Agelaius, 598.
 — thilius, 410.
 Ajaia ajaja, 397.
 ajaja, *Ajaia*, 397.
 Alauda arvensis, 350.
 alba, *Calidris*, 519.
 —, *Casmerodius*, 170.
 —, *Crocethia*, 124, 249, 384, 388, 389, 439.
 —, *Egretta*, 169, 237, 242, 276, 397, 483.
 —, *Gygis*, 384, 387, 389.
 —, *Motacilla*, 368, 485.
 —, *Platalea*, 483.
 —, *Tyto*, 117, 484.
 albatrus, *Diomedea*, 146, 147.
 albicilla, *Haliaetus*, 367.
 albicollis, *Merops*, 118, 484.
 —, *Nyctidromus*, 264.
 —, *Zonotrichia*, 356.
 albifrons, *Sterna*, 484.
 albirostris, *Bubalornis*, 486.
 albibentris, *Halcyon*, 526.
 alboterminatus, *Tockus*, 526.
 albus, *Corvus*, 427, 429, 486, 527.
 —, *Eudocimus*, 536.
 Alca torda, 308, 543.
 Alcedo cristata, 484.
 aldafricanus, *Dicrurus*, 477.
 —, *Falco* n., 477.
 Alektoris barbara, 276.
 —, rufa, 540, 542, 551.
 Alectroenas rodericana, 383, 389.
 alexandrinus, *Charadrius*, 186, 237, 243, 484, 519, 569.
 alle, *Plautus*, 308.
 Alopochen aegyptiacus, 483, 526.
 alpestris, *Eremophila*, 118.
 alpina, *Calidris*, 237, 249.
 Amadina erythrocephala, 116.
 —, fasciata, 486.
 Amazonetta brasiliensis, 402.
 Amblyramphus holosericeus, 410.
 americana, *Anas*, 123.
 —, *Aythya*, 404.
 —, *Grus*, 543.
 —, *Mycteria*, 397.
 —, *Rhea*, 540, 551, 586.
 anabatina, *Dendrocincla*, 588.
 Anas acuta, 237, 238, 483, 519.
 —, americana, 123.
 —, bahamensis, 397.
 —, clypeata, 237, 238.
 —, crecca, 123, 237, 238.
 —, cyanoptera, 397.
 —, flavirostris, 397.
 —, georgica, 397.
 —, penelope, 123, 237, 239.
 —, platalea, 397.
 —, platyrhynchos, 237, 239, 338, 349, 358, 542.
 —, querquedula, 237, 239, 258, 482, 483, 519.
 —, sibilatrix, 397.
 —, strepera, 237, 241.
 —, versicolor, 397.
 Anastomus lamelligerus, 483.
 anderssoni, *Zosterops* s., 324.
 Andropadus importunus, 526.
 anglica, *Diomedea*, 145.
 angolensis, *Uraeginthus*, 116.
 Anhinga anhinga, 176.
 —, rufa, 482.
 ani, *Crotophaga*, 177.
 anjouanensis, *Leptosomus* d., 425.
 Anous, 549.
 —, stolidus, 384, 387, 389.
 —, tenuirostris, 384, 387, 389, 543, 550.
 Anser brachyrhynchus, 303.
 —, indicus, 616.
 Anseranas semipalmatus, 542.
 antarctica, *Pygoscelis*, 277.
 anthracinus, *Buteogallus*, 538.
 Anthreptes platyrus, 485.
 Anthropoides virgo, 237, 245, 483.
 Anthus bertheloti, 276.
 —, campestris, 443.
 —, cervinus, 485.
 —, leucophrys, 485.
 —, pratensis, 369.
 —, spinoletta, 113.
 antigone, *Grus*, 539, 542.
 antipodes, *Megadyptes*, 184, 586.
 Apalis thoracica, 526.
 Apaloderma narina, 526.
 apivorus, *Pernis*, 361, 362, 367, 490, 495, 497, 499, 648.
 apricarius, *Pluvialis*, 434.
 Aptenodytes, 285, 675.
 —, patagonica, 149, 585, 599.
 Apus affinis, (Plate 2), p. 113, 260, 484, 649.
 —, apus, 476, 608.
 —, pallidus, 442.
 aquatica, *Muscicapa*, 485.
 Aquila chrysaetos, 490.

- Aquila clanga*, 361, 362, 364, 490, 495, 499.
 — *heliaca*, 273, 364.
 — *pomarina*, 361, 362, 364, 490, 499.
 — *rapax*, 364, 483.
 — *verreauxi*, 591, 598.
arabs, *Otis*, 483.
Aramus guarauna, 397.
arborea, *Lullula*, 531.
arctica, *Fratercula*, 308, 549.
Ardea cinerea, 237, 241, 443, 474, 483, 519.
 — *cocoi*, 176, 397.
 — *goliath*, 526.
 — *melanocephala*, 483, 526.
 — *purpurea*, 237, 242, 483.
Ardeola ibis, 168, 482.
 — *ralloides*, 170, 234, 237, 242, 482.
ardeola, *Dromas*, 439.
Ardeotis kori, 560.
ardesiaca, *Egretta*, 483.
Arenaria interpres, 186, 237, 249, 276, 305, 384, 388, 389, 438, 474, 519, 538.
arenicola, *Streptopelia t.*, 442.
argentatus, *Larus*, 186, 192, 276, 310–317, 436, 502, 514, 520, 543, 549, 551, 554.
aridula, *Cisticola*, 485.
ariel, *Fregata*, 328.
aristotelis, *Phalacrocorax*, 220.
armatus, *Hoplopterus*, 526, 568.
 — *Vanellus*, 568.
armillata, *Fulica*, 397.
arminjoniana, *Pterodroma*, 154.
arquata, *Numenius*, 237, 251, 276, 484, 520, 547.
Artamus, 138.
arundinaceus, *Acrocephalus*, 485.
arvensis, *Alauda*, 350.
asiaticus, *Charadrius*, 440, 519.
assimilis, *Puffinus*, 3, 152, 541.
astrild, *Estrilda*, 385, 389.
ater, *Parus*, 270.
Athene murivora, 383, 389.
atlantis, *Larus a.*, 276.
atmorii, *Zosterops p.*, 319.
atra, *Fulica*, 237, 248.
atratus, *Coryagyps*, 172.
 — *Cygnus*, 542.
atricapilla, *Heteronetta*, 391, 397.
 — *Sylvia*, 485.
atricapillus, *Accipiter*, 476.
 — *Parus*, 590.
atricilla, *Larus*, 125.
atricollis, *Ortygospiza*, 486.
atterimus, *Phoeniculus*, 485.
augur, *Buteo r.*, 526.
aura, *Cathartes*, 538.
aurita, *Sporophila*, 591.
auritus, *Batrachostomus*, 264.
 — *Nettapus*, 483.
australis, *Treron*, 526.
avosetta, *Recurvirostra*, 182, 237, 249, 258, 474, 519, 547, 675.
axillaris, *Euplectes*, 486.
 — *Pterodroma*, 4.
Aythya americana, 404.
 — *ferina*, 237, 241.
 — *fuligula*, 237, 241.
 — *nyroca*, 237, 241.
 — *vallisneria*, 404.
babaeculus, *Bradypterus*, 532.
baeticus, *Acrocephalus*, 532.
bahamensis, *Anas*, 397.
baillonii, *Puffinus a.*, 152.
Balaeniceps rex., 25, 32, 526.
Balearica pavonina, 431, 483, 526, 543.
 — *regulorum*, 431, 526.
bannermani, *Scopus u.*, 32.
barbara, *Alectoris*, 276.
barbarus, *Laniarius*, 485, 528, 530.
barbatus, *Gypaetus*, 495.
 — *Pycnonotus*, 485, 526.
barau, *Pterodroma*, 4.
baroli, *Puffinus a.*, 152.
bassana, *Sula*, 146, 194, 231, 541, 591, 598.
Batis capensis, 532.
 — *molitor*, 526.
 — *orientalis*, 485.
Batrachostomus auritus, 264.
baueri, *Limosa l.*, 124.
beaudouini, *Circaetus*, 483.
Bebrornis rodericana, 383, 385, 389.
bellicosus, *Polemaetus*, 483.
bengala, *Estrilda*, 486.
bengalensis, *Gyps*, 483.
 — *Sterna*, 520.
benti, *Loxia c.*, 54.
bergii, *Sterna*, 520.
 — *Thalasseus*, 387, 389.
bernicla, *Branta*, 304.
bertheloti, *Anthus*, 276.
biarmicus, *Falco*, 443, 483, 497.
bicolor, *Dendrocygna*, 394, 397, 483.
 — *Symplectes*, 527.
 — *Testudophaga*, 383, 389.
bilineatus, *Pogoniulus*, 526.
bispecularis, *Garrulus*, 122.
blanchotii, *Malaconotus*, 527.
blanfordi, *Montifringilla*, 118.
Bleda, 524.
böhmi, *Parisoma*, 526.
bonariensis, *Molothrus*, 410.
Bonasa umbellus, 542, 550.
bonelli, *Phylloscopus*, 485.
borbonica, *Malacirops*, 386.
borealis, *Puffinus d.*, 276.
borin, *Sylvia*, 485.
Botaurus pinnatus, 398.
 — *stellatus*, 237, 242.
bougainvillei, *Phalacrocorax*, 196, 675.
brachydactyla, *Calandrella*, 369.
brachyrhynchos, *Corvus*, 338, 351.
brachyrhynchus, *Anser*, 303.
brachyura, *Camaroptera*, 485, 527.
 — *Sylvietta*, 485.
Bradypterus babaeculus, 532.
brandti, *Garrulus g.*, 120.
Branta bernicla, 304.
 — *canadensis*, 401, 542.
 — *leucopsis*, 299, 304, 542.
brasiliensis, *Amazonetta*, 402.
brevicaudata, *Camaroptera*, 527.
brevipēs, *Accipiter*, 361, 362, 366, 476, 490, 399.
 — *Procellaria*, 156.
 — *Pterodroma l.*, 155.
brevirostris, *Pachyptila*, 151.
 — *Phalacrocorax m.*, 600.
 — *Prion*, 165.
 — *Pterodroma*, 4.
brevis, *Bycanistes*, 526.
brunnicephalus, *Larus*, 553, 555.
Bubalornis albirostris, 486.
 — *niger*, 527.
Bubo africanus, 528, 532.
 — *lacteus*, 526.
 — *leguati*, 383, 389.
Bubulcus ibis, 138, 179, 532.
Buccanodon leucotis, 526.
buccinator, *Cygnus*, 542.
bucinator, *Bycanistes*, 526.
Bucorvus leadbeateri, 526.
buffoni, *Circus*, 397.
Burgeranus carunculatus, 432.
bulleri, *Diomedea*, 2.
 — *Larus*, 552, 554, (Plate 13), 555.
 — *Puffinus*, 3.
bullockoides, *Melittophagus*, 526.
Bulweria bulwerii, 155, 156.
 — *mollis*, 7.
bulwerii, *Bulweria*, 155, 156.
Buphagus africanus, 486.
Burhinus capensis, 484, 532, 562, 569.
 — *oedinemus*, 543, 544, 675.
 — *senegalensis*, 484.
 — *vermiculatus*, 526.
Buteo, 483, 648.
 — *buteo*, 273, 365, 367, 490–499.
 — *lagopus*, 366, 490.
 — *rufinus*, 273, 366, 490, 495.
 — *rufofuscus*, 526.
Buteogallus anthracinus, 538.
 — *urubitinga*, 172.
Butorides striatus, 169, 384, 389, 397, 483, 519.
 — *virescens*, 173, 399.
Bycanistes brevis, 526.
 — *bucinator*, 526.
 — *subcylindricus*, 526.

- cabaret, *Carduelis* f., 95, 441.
Cacatua, 139.
cacchinans, *Larus*, 317.
Cacicus, 589.
caerulea, Florida, 168, 538.
 — *Halobaena*, 151, 675.
 — *Hydranassa*, 168.
 — *Prion*, 156.
 — *Procellaria*, 156.
caeruleus, *Elanus*, 117.
cafer, *Cuculus*, 526.
cafra *Cossypha*, 526.
cafra, *Eupodotis*, 117.
cahow, *Pterodroma*, 4.
Calamocichla gracilirostris, 532.
calandra, *Emberiza*, 82.
Calandrella acutirostris, 117.
 — *brachydactyla*, 369.
 — *rufescens*, 276.
Calidris alba, 519.
 — *alpina*, 237, 249.
 — *canutus*, 236, 305.
 — *ferruginea*, 237, 249, 484.
 — *maritima*, 300, 305, 474.
 — *minuta*, 234, 237, 249, 440, 484, 519.
 — *subminuta*, 440.
 — *temminckii*, 237, 249, 440, 484, 519.
 — *testacea*, 519.
Calonectris diomedea, 151.
Calonetta leucophrys, 402.
Camaroptera brachyura, 485, 527.
 — *brevicaudata*, 527.
camelus, *Struthio*, 540.
campestris, *Anthus*, 443.
Campylorhynchus, 598.
 — *zonatus*, 592.
cana, *Agapornis*, 387, 389.
canadensis, *Branta*, 401, 542.
 — *Grus*, 543.
canarius, *Serinus*, 91, 369, 531.
caniviridis, *Zosterops* p., 319.
cannabina, *Carduelis*, 34, 350, 369.
canorus, *Cuculus*, 526.
cantans, *Cisticola*, 527.
cantillans, *Mirafra*, 526.
 — *Sylvia*, 485.
canus, *Larus*, 276.
canutus, *Calidris*, 236, 305.
Capella gallinago, 612.
 — *nigripennis*, 526.
capensis, *Batis*, 532.
 — *Burhinus*, 484, 532, 562, 569.
 — *Daption*, 6, 143, 150, 534.
 — *Microparra*, 483.
 — *Morus*, 196.
 — *Oena*, 116, 484.
 — *Smithornis*, 526.
 — *Strix*, 488.
 — *Zosterops*, 318, 320.
capicola, *Streptopelia*, 526.
Caprimulgus affinis, 264.
 — *clarus*, 526.
 — *climacurus*, 484.
 — *enarratus*, 264.
 — *europaeus*, 260, 264.
 — *fossii*, 526.
 — *madagascariensis*, 264.
 — *pectoralis*, 526.
 — *poliocephalus*, 526.
 — *ruficollis*, 260, 264.
caprius, *Chrysococcyx*, 484, 526.
Caracara plancus, 538.
carbo *Phalacrocorax*, 220, 482, 600.
Carduelis, 66, 88.
 — *cannabina*, 34, 350, 369.
 — *carduelis*, 34, 369.
 — *flammea*, 34, 49, 95, 440.
 — *flavirostris*, 34, 118.
 — *spinus*, 34.
Carine murivora, 389.
caripensis, *Steatornis*, 264.
carneipes, *Puffinus*, 6, 152, 541, 551.
Carpodacus mexicanus, 591.
carunculatus, *Bugeranus*, 432.
Casmerodius alba, 170.
caspia, *Hydropogone*, 237, 247, 259.
Cassidix mexicanus, 538.
castanotis, *Taeniopygia*, 570–578.
castro, *Oceanodroma*, 16, 158.
Catharacta maccormicki, 543, 551.
 — *skua*, 161, 540, 543.
Cathartes aura, 538.
Catoptrophorus semipalmatus, 182.
caudatus, *Lamprolornis*, 486.
 — *Theristicus*, 397.
cauta, *Diomedea*, 2, 147.
cavendishi, *Estrilda*, a., 385.
ceciliae, *Balearica* p., 431.
Cecropis abyssinica, 533.
Centropus monachus, 484.
 — *senegalensis*, 484, 526.
 — *superciliosus*, 526.
Cephalopterus, 588.
Cephus columba, 544.
 — *grylle*, 544.
Cercotrichas galactotes, 485.
 — *podobe*, 485.
cervicalis, *Garrulus* g., 121.
 — *Pterodroma*, 4, 155.
cervinus, *Anthus*, 485.
Ceryle rudis, 484.
Chalcomitra senegalensis, 527.
chalcospilos, *Turtur*, 526.
chalybea, *Progne*, 537.
chalybaeus, *Lamprolornis*, 486.
chalybeata, *Vidua*, 486.
Charadrius alexandrinus, 186, 237, 243, 484, 519, 569.
 — *asiaticus*, 440, 519.
 — *dominicus*, 397.
 — *dubius*, 237, 243, 484, 569.
Charadrius hiaticula, 186, 237, 243, 276, 305, 484, 519, 544.
 — *leschenaultii*, 118, 388, 389, 438.
 — *marginatus*, 545, 551, 559, 569.
 — *mongolus*, 438, 519.
 — *pecuarius*, 484.
 — *squatarola*, 519.
Chauna torquata, 395, 397 (p. 410, Plate 11), 542, 551.
Chelictinia riocourii, 526.
chelicuti, *Halcyon*, 484, 526.
cherrug, *Falco*, 368, 494.
chicquera, *Falco*, 483.
chihi, *Plegadis*, 397.
chilensis, *Vanellus*, 397.
chimango, *Milvago*, 393, 397.
chiniana, *Cisticola*, 527.
Chlidonias, 255, 543.
 — *hybrida*, 237, 246, 518, 549.
 — *leucopareia*, 246.
 — *leucoptera*, 237, 246, 520.
 — *niger*, 550.
 — *nigra*, 237, 246, 536.
Chloephaga poliocephala, 402.
 — *rubidiceps*, 402.
Chloris chloris, 34, 350, 369, 441.
chloris, *Nicator*, 527.
Chlorophoneus, 279.
 — *olivaceus*, 532.
 — *sulfureopectus*, 527.
chloropus, *Gallinula*, 248, 397, 483, 532.
chlororhynchus, *Diomedea*, 147.
 — *Puffinus* p., 389.
 — *Thalassogeron*, 167.
chrysaetos, *Aquila*, 490.
chrysauchen, *Tripsurus*, 584.
Chrysococcyx caprius, 484, 526.
 — *cupreus*, 526.
 — *klaas*, 526.
chrysoconus, *Pogoniulus*, 485.
Chrysolophus pictus, 542.
chrysostoma, *Diomedea*, 147, 148.
Ciccaba woodfordii, 526.
Cichladusa guttata, 526.
Ciconia abdimii, 483.
 — *ciconia*, 237, 244, 362, 363, 442, 483, 489, 497.
 — *nigra*, 237, 245, 362, 363, 497.
cinerea, *Ardea*, 237, 241, 443, 474, 483, 519.
 — *Procellaria*, 3, 151.
 — *Tringa*, 519.
cinereola, *Cisticola*, 527.
cinereus, *Circus*, 397, 536.
 — *Xenus*, 439.
Cinnyris mariquensis, 527.
 — *talata*, 527.
Circaetus beaudouini, 483.
 — *gallicus*, 273, 361, 362, 367, 443, 483, 490–499.
Circus aeruginosus, 367, 483, 490.

- Circus buffoni*, 397.
 — *cinereus*, 397, 536.
 — *cyaneus*, 367, 536.
 — *macrourus*, 367, 483, 497.
 — *pygargus*, 367, 483, 497.
cirrocephalus, *Larus*, 484, 536, 553, 675.
Cisticola aridula, 485.
 — *cantans*, 527.
 — *chiniana*, 527.
 — *cinereola*, 527.
 — *cursitans*, 623.
 — *erythrops*, 527.
 — *fulvicapilla*, 532.
 — *galactotes*, 485.
 — *hunteri*, 527.
 — *juncidis*, 442, 485, 623.
 — *natalensis*, 527.
 — *woosnami*, 527.
citerior, *Pytilia m.*, 531.
citreola, *Motacilla*, 118.
citrinella, *Emberiza*, 82.
clamans, *Prinia*, 485.
clanga, *Aquila*, 361, 364, 490, 495, 499.
Clangula hyemalis, 301.
clappertoni, *Francolinus*, 483.
clarus, *Caprimulgus*, 526.
climacurus, *Caprimulgus*, 484.
 — *Scotornis*, 264, 526.
clypeata, *Anas*, 237, 238.
 — *Spatula*, 123.
Coccothraustes coccothraustes, 34.
Cochlearius cochlearius, 169, 179.
cocoi, *Ardea*, 176, 397.
coelebs, *Fringilla*, 34, 55, 95, 369, 528.
colchicus, *Phasianus*, 338, 542.
Colinus virginianus, 346.
Colius macrourus, 484, 526.
collaris, *Lanius*, 527.
Collocalia, 598.
 — *esculenta*, 585.
collurio, *Lanius*, 4, 520.
Columba guinea, 484, 526.
 — *livia*, 338, 349, 357.
 — *oenas*, 349.
 — *palumbus*, 269, 338 (Plate 9, 350), 352, 357, 584, 622.
 — *speciosa*, 584.
columba, *Cephus*, 544.
columbianus, *Cygnus*, 445.
Colymbus stellata, 301.
communis, *Sylvia*, 368, 485.
concolor, *Corythaixoides*, 117, 526.
conspicillata, *Procellaria*, 7.
cookii, *Pterodroma*, 4.
Cookilaria, 7, 165.
cooperii, *Accipiter*, 476.
Copsychus sechellarum, 528.
Coracias abyssinica, 485.
 — *garrulus*, 429, 485, 675.
corax, *Corvus*, 276, 520, 527.
coronatus, *Stephanibyx*, 526, 569.
coronatus, *Vanellus*, 561, 568.
corone, *Corvus*, 183, 474, 475, 515.
corruscus, *Lamprocolius*, 527.
corsicanus, *Garrulus g.*, 121.
Corvus frugilegus, 348, 351, 357.
 — *monedula*, 503.
 — *ruficollis*, 486.
 — *splendens*, 519.
Coryagyps atratus, 172.
Corythaeola cristata, 526.
corythaix, *Tauraco*, 526.
Corythaixoides concolor, 117, 526.
 — *leucogaster*, 526.
Coscoroba coscoroba, 394, 397.
Cossypha caffra, 526.
 — *dichroa*, 526.
 — *heuglini*, 526.
 — *niveicapilla*, 526.
 — *semirufa*, 526.
Cotinga, 588.
Coturnix coturnix, 443, 483, 526.
 — *delegorguei*, 526.
crassirostris, *Larus*, 554.
 — *Pachyptila*, 3.
 — *Pelecanoides*, 5.
 — *Vanellus*, 484.
Creagrus furcatus, 14.
crecca, *Anas*, 123, 237, 238.
cretorum, *Garrulus g.*, 120.
Crinifer piscator, 484.
 — *zonurus*, 526.
cristata, *Alcedo*, 484.
 — *Corythaeola*, 526.
 — *Fulica*, 532.
 — *Galerida*, 485.
cristatus, *Aegothales*, 264.
 — *Vanellus*, 264.
Crocethia alba, 124, 249, 384, 388, 389, 439.
croceus, *Macronyx*, 526.
Crossoptilon crossoptilon, 616.
Crotophaga ani, 177.
 — *sulcirostris*, 538.
crumeniferus, *Leptoptilos*, 32, 483, 526.
cruziana, *Eupelia*, 538.
cryptoxanthus, *Poicephalus*, 526.
cucullatus, *Ploceus*, 486, 527.
 — *Spermestes*, 527.
Cuculus cafer, 526.
 — *canorus*, 526.
 — *solitarius*, 526.
culminata, *Diomedea*, 148.
Cuncuma vocifer, 526.
cupreus, *Chrysococcyx*, 526.
curruca, *Sylvia*, 485.
cursitans, *Cisticola*, 623.
cursor, *Cursorius*, 118.
Cursorius cursor, 118.
 — *rufus*, 562–569.
curvirostra, *Loxia*, 34, 54, 69, 350.
cuvieri, *Dryolimnas*, 477.
cyanea, *Platysteira*, 526.
cyaneus, *Circus*, 367, 536.
cyanomelas, *Rhinopomastus*, 533.
 — *Trochocercus*, 526.
Cyanomitra olivacea, 527.
 — *veroxii*, 527.
cyanoptera, *Anas*, 397.
Cygnus, 540, 544.
 — *atratus*, 542.
 — *buccinator*, 542.
 — *columbianus*, 445.
 — *cygnus*, 445, 542.
 — *melancoryphus*, 395, 397.
 — *olor*, 445, 542.
Cypsiurus parvus, 484.
dacotiae, *Falco t.*, 276.
dactylatra, *Sula*, 194 (Plates, 3–8, pp. 220–221), 535, 541, 591.
Daption capensis, 6, 143, 150, 534.
daurica, *Hirundo*, 114.
decaocto, *Streptopelia*, 356, 358.
decipiens, *Streptopelia*, 484, 526.
deckeni, *Tockus*, 526.
delegorguei, *Coturnix*, 526.
 — *Turturoena*, 526.
Delichon urbica, 113.
Dendrocincla anabatina, 588.
Dendrocygna bicolor, 394, 397, 483.
 — *viduata*, 483, 526.
Dendroica petechia, 538.
Dendropicus elachus, 485.
dentata, *Petronia*, 486.
deserti, *Oenanthe*, 118.
deserticola, *Zosterops*, 322.
dichroa, *Cossypha*, 526.
Dicrurus adsimilis, 486, 527.
 — *alabranus*, 477.
 — *ludwigii*, 527.
diffusus, *Passer*, 527.
dinemelli, *Dinemellia*, 527.
Dinemellia dinemelli, 527.
Diomedea albatrus, 146, 147.
 — *anglica*, 145.
 — *bulleri*, 2.
 — *cauta*, 2, 147.
 — *chlororhynchos*, 147.
 — *chrysostoma*, 147, 148.
 — *culminata*, 148.
 — *epomophora*, 2, 146, 186, 379, 586, 675.
 — *eremita*, 2.
 — *exulans*, 2, 145.
 — *immutabilis*, 147, 373.
 — *irrorata*, 534.
 — *melanophris*, 146.
 — *nigripes*, 146, 586.
 — *regia*, 146.
diomedea, *Calonectris*, 151.
discolor, *Leptosomus*, 425, 430.
docilis, *Pyrhcorax p.*, 275.

Dolichonyx, 351.
 — *oryzivorus*, 338.
domesticus, Passer, 63, 82, 338, 385, 389, 475, 520, 570.
dominica, *Pluvialis*, 123.
dominicus, *Charadrius*, 397.
 —, *Podiceps*, 397.
dougallii, *Sterna*, 387, 389, 476.
Dromaius novaehollandiae, 541.
Dromas ardeola, 439.
Dryolimnas cuvieri, 477.
dubius, *Charadrius*, 237, 243, 484, 569.
dumetorum, *Acrocephalus*, 485.
Dysithamnus mentalis 537.

ecaudatus, *Terathopius*, 483, 526.
edithae, *Corvus* c., 527.
edouardi, *Guttera*, 526.
Egretta, 31.
 — *alba*, 169, 237, 242, 276, 397, 483.
 — *ardesiaca*, 483.
 — *garzetta*, 169, 237, 242, 276, 483, 517.
 — *gularis*, 519.
 — *intermedia*, 483.
 — *thula*, 168, 397.
elachus, *Dendropicos*, 485.
Elanus caeruleus, 117.
elegans, *Sarothrura*, 532.
 — *Thalasseus*, 537, 538.
eleonora, *Falco*, 276.
Emberiza, 589.
 — *calandra*, 82.
 — *citrinella*, 82.
 — *flaviventris*, 486.
 — *hortulana*, 443.
 — *schoeniclus*, 82.
Eminia lepida, 527.
enarratus, *Caprimulgus*, 264.
Ephippiorhynchus senegalensis, 483.
epomophora, *Diomedea*, 2, 146, 186, 379, 586, 675.
epops, *Upupa*, 276, 429, 443, 485, 526.
Eremialector gutturalis, 526.
 — *lichtensteinii*, 526.
eremita, *Diomedea*, 2.
Eremomela icteropygialis, 485, 567.
Eremophila alpestris, 118.
Eremopterix leucotis, 485.
Ereunetes mauri, 562, 675.
ericetorum, *Turdus*, 269.
erithacus, *Psittacus*, 526.
Erolia acuminata, 123.
 — *melanotos*, 124.
 — *minuta*, 236, 675.
 — *temminckii*, 236, 439, 675.
 — *testacea*, 384, 388, 389, 439.
erythrocephala, *Amadina*, 116.

erythrocephalus, *Trachyphonus*, 526.
erythrogaster, *Laniarius*, 527.
Erythromachus leguati, 383, 389.
erythropters, *Cisticola*, 527.
erythroptera, *Heliolais*, 527.
erythropus, *Tringa*, 237, 252, 484.
Erythropygia leucophrys, 526, 532.
 — *quadrivirgata*, 526.
erythrorhynchus, *Tockus*, 485, 526.
esculenta, *Collocalia*, 585.
Estrilda astrild, 385, 389.
 — *bengala*, 486.
 — *melpoda*, 486.
 — *trogodytes*, 486.
etesia, *Sula* l., 535.
Eudocimus albus, 536.
 — *ruber*, 172.
Eupelia cruziana, 538.
Euplectes afer, 486.
 — *axillaris*, 486.
 — *orix*, 486.
Eupodotis cafra, 117.
 — *sengalensis*, 483, 526.
Eurillas virens, 526.
europaeus, *Caprimulgus*, 260, 264.
Eurostopodus guttatus, 264.
Euxenura maguari, 395, 397.
exasperatus, *Oceanites* o., 157.
excubitor, *Lanius*, 276, 485.
exilis, *Ixobrychus*, 399.
exsul, *Palaornis*, 390.
 — *Psittacula*, 383, 387, 389.
externa, *Pterodroma*, 3, 155, 166.
exulans, *Diomedea*, 2, 145.
exustus, *Pterocles*, 484, 526.

falcinellus, *Limicola*, 519.
 — *Plegadis*, 237, 253, 483, 517.
Falco biarmicus, 443, 483, 497.
 — *cherrug*, 368, 494.
 — *chicquera*, 483.
 — *eleonora*, 276.
 — *naumanni*, 368, 495.
 — *newtoni*, 477.
 — *peregrinus*, 271, 443, 490.
 — *rupicoloides*, 117.
 — *subbuteo*, 361, 362, 368, 490.
 — *tinnunculus*, 276, 361, 362, 368, 483, 490, 495.
fasciata, *Amadina*, 486.
fasciatus, *Hieracetus*, 490, 495.
ferina, *Aythya*, 237, 241.
ferruginea, *Calidris*, 237, 249, 484.
ferrugineus, *Laniarius*, 527.
flammea, *Acanthis*, 95.
 — *Carduelis*, 34, 49, 95, 440.

flava, *Motacilla*, 368, 442, 443, 485, 520.
flavicans, *Foudia*, 383, 385, 389.
flavipes, *Tringa*, 397.
flavirostra, *Limnecorax*, 483, 526.
flavirostris, *Anas*, 397.
 — *Carduelis*, 34, 118.
 — *Querquedula*, 411.
 — *Tockus*, 526.
flaviventris, *Emberiza*, 486.
Florida caerulea, 168, 538.
fluviatilis, *Locustella*, 519.
fossii, *Caprimulgus*, 526.
Foudia flavicans, 383, 385, 389.
 — *madagascariensis*, 385, 389.
 — *rubra*, 386.
 — *seychellarum*, 386.
francesii, *Accipiter*, 429.
Francolinus clappertoni, 483.
 — *levaillantii*, 526.
 — *natalensis*, 117.
 — *pondicerianus*, 384, 389, 675.
 — *sephaena*, 117, 526.
 — *swainsonii*, 115.
franklini, *Larus*, 410.
frantzii, *Pteroglossus*, 585.
Fratercula arctica, 308, 549.
Fregata, 388.
 — *ariel*, 328.
 — *magnificens*, 7, 538.
 — *minor*, 202, 328.
Fregetta, 6.
 — *fuliginosa*, 164.
 — *grallaria*, 158.
 — *tropica*, 158.
Fringilla, 61, 88.
 — *coelebs*, 34, 55, 95, 369, 528.
 — *montifringilla*, 34, 338, 369.
frontalis, *Sporopipes*, 486.
frugilegus, *Corvus*, 348, 351, 357.
Fulica armillata, 397.
 — *atra*, 237, 248.
 — *cristata*, 532.
 — *leucoptera*, 397.
 — *rufifrons*, 397.
fulicarius, *Phalaropus*, 306, 536.
fuliginosa, *Fregetta*, 164.
 — *Procellaria*, 143.
fuliginosus, *Larus*, 554.
fuligula, *Aythya*, 237, 241.
Fulmarus glacialis, 587, 598.
 — *glacialoides*, 2, 150, 301, 534.
fulvicapilla, *Cisticola*, 532.
fulvus, *Gyps*, 361, 362, 364, 490-499.
funbris, *Laniarius*, 527.
furcata, *Procellaria*, 143.
furcatus, *Creagrus*, 14.
fusca, *Phoebetria*, 2, 149.
fuscata, *Sterna*, 14, 297, 387, 389, 438, 537.

- fuscus, *Larus*, 180, 192, 237, 248, 310-317, 484, 502, 514, 520, 554.
 gabar, *Melierax*, 483.
 galactotes, *Cercotrichas*, 485.
 — *Cisticola*, 485.
 Galerida cristata, 485.
 — *modesta*, 485.
 gallicus, *Circæetus*, 273, 361, 362, 367, 443, 483, 490-499.
 Gallinago gallinago, 237, 250, 484, 547.
 — *media*, 237, 250, 484.
 gallinago, *Capella*, 612.
 Gallinula chloropus, 248, 397, 483, 532.
 Gallirex porphyreolophus, 526.
 gallopavo, *Meleagris*, 542.
 Gallus gallus, 260, 542.
 gambensis, *Plectropterus*, 483, 526.
 Garrodia nereis, 6.
 Garrulus bispecularis, 122.
 — *glandarius*, 120, 121, 122.
 garrulus, *Coracias*, 429, 485.
 garzetta, *Egretta*, 169, 237, 242, 276, 483, 517.
 Gavia stellata, 540, 551.
 gavia, *Puffinus*, 3.
 Gelochelidon nilotica, 237, 247, 520, 536.
 genei, *Larus*, 518.
 gentilis, *Accipiter*, 366, 476, 490.
 Geopelia striata, 384, 389.
 georgica, *Anas*, 397.
 georgicus, *Pelecanoides*, 5, 159.
 Gerygone, 138.
 gibbericeps, *Balearica* r., 431.
 gigantea, *Leguata*, 388.
 giganteus, *Macronectes*, 2, 146, 149, 541, 551.
 gindiana, *Lophotis* r., 526.
 glacialis, *Fulmarus*, 301, 587, 598.
 glacialoides, *Fulmarus*, 2, 150, 534.
 glandarius, *Garrulus*, 120, 121, 122.
 Glareola nordmanni, 520.
 — *pratricula*, 439, 484, 520, 543.
 glareola, *Tringa*, 234, 237, 252, 258, 440, 484, 520, 526.
 glaszneri, *Garrulus* g., 121.
 glaucescens, *Larus*, 502, 514.
 goertae, *Mesopicos*, 113, 485.
 goliath, *Ardea*, 526.
 gracilirostris, *Acrocephalus*, 485.
 — *Calamocichla*, 532.
 gracilis, *Leptosomus* d., 425.
 graellsii, *Larus* f., 313.
 grallaria, *Fregetta*, 158.
 Granatina ianthinogaster, 531.
 gravis, *Puffinus*, 162, 587.
 griseogena, *Podiceps*, 398.
 griseopyga, *Hirundo*, 485.
 griseus, *Passer*, 486.
 — *Puffinus*, 3, 156, 534.
 grotei, *Pytilia* m., 531.
 Grus americana, 543.
 — *antigone*, 539, 542.
 — *canadensis*, 543.
 — *grus*, 237, 245, 258, 368, 542.
 grylle, *Cephus*, 544.
 — *Uria*, 308, 543.
 guarauna, *Aramus*, 397.
 guinea, *Columba*, 484, 526.
 gularis, *Cuculus* c., 526.
 — *Egretta*, 519.
 gulielmi, *Pocephalus*, 526.
 guttata, *Cichladusa*, 526.
 — *Taeniopygia*, 62.
 guttatus, *Eurostopodus*, 264.
 Guttera edouardi, 526.
 gutturalis, *Eremialector*, 526.
 Gygis alba, 384, 387, 389.
 gymnocephalus, *Picathartes*, 527.
 Gypaetus barbatus, 495.
 Gyps bengalensis, 483.
 — *fulvus*, 361, 362, 364, 490-499.
 — *ruppellii*, 483, 526.
 haemastica, *Limosa*, 397.
 haematocephala, *Lagonosticta* r., 531.
 Haematopus ostralegus, 180, 186, 192, 412-424, 473, 474, 519, 543, 551, 675.
 hagedash, *Hagedashia*, 526.
 Hagedashia hagedash, 526.
 Halcyon albiventris, 526.
 — *chelicuti*, 484, 526.
 — *leucocephala*, 518.
 — *senegalensis*, 526.
 Haliaeetus vocifer, 483, 532, 533, 675.
 Haliaetus albicilla, 367.
 haliaetus, *Pandion*, 368, 483, 492, 519, 538.
 halli, *Macronectes*, 2.
 Halobaena caerulea, 151, 675.
 haringtoni, *Garrulus* g., 122.
 harmani, *Crossoptilon* c., 616.
 hartlaubi, *Larus* n., 552.
 — *Tauraco*, 526.
 hasitata, *Oestrelata*, 165.
 — *Pterodroma*, 155.
 heliaca, *Aquila*, 273, 364.
 Heliolais erythroptera, 527.
 hemprichii, *Larus*, 520.
 heraldica, *Pterodroma*, 4.
 Heteralocha acutirostris, 71.
 Heteronetta atricapilla, 391, 397.
 Heteroscelus incanum, 123.
 — *incanus*, 538.
 heuglini, *Cossypha*, 526.
 hiaticula, *Charadrius*, 186, 237, 243, 276, 484, 519, 544.
 Hieraeetus fasciatus, 490, 495.
 — *pennatus*, 273, 361, 362, 365, 490-499, 648.
 hildebrandti, *Spreo*, 527.
 Himantopus himantopus, 237, 248, 397, 484, 519, 526, 548.
 Hippolais icterina, 443, 485, 675.
 — *pallida*, 485.
 Hirundo abyssinica, 527.
 — *aethiopica*, 485.
 — *aurica*, 114.
 — *griseopyga*, 485.
 — *rustica*, 368, 443, 485, 520, 590.
 hirundo, *Sterna*, 186, 476, 537.
 hispanica, *Oenanthe*, 443.
 hoazin, *Opisthocomus*, 176.
 holosericeus, *Amblyramphus*, 410.
 Hoplopterus armatus, 526, 568.
 — *spinosus*, 526.
 hornbyi, *Oceanodroma*, 535.
 hortulana, *Emberiza*, 443.
 humeri, *Pachyptila*, 2.
 hunteri, *Cisticola*, 527.
 huttoni, *Puffinus*, 3.
 hybrida, *Chlidonias*, 237, 246, 518, 549.
 — *Sterna*, 484.
 Hydranassa caerulea, 168.
 — *tricolor*, 168.
 Hydrobates pelagicus, 157.
 Hydroprogne caspia, 237, 247, 259.
 — *tschegrava*, 520.
 hyemalis, *Clangula*, 301.
 — *Junco*, 356.
 hyperboreus, *Larus*, 300, 307, 554.
 hypoleuca, *Pelagodroma* m., 158.
 — *Pterodroma*, 4.
 — *Turdoides*, 526.
 hypoleucos, *Actitis*, 439.
 — *Tringa*, 237, 252, 256, 442, 484, 519.
 hyrcanus, *Garrulus* g., 121.
 ianthinogaster, *Granatina*, 531.
 Ibidorhyncha struthersii, 616.
 Ibis ibis, 483.
 — *Ardeola*, 168, 482.
 — *Bubulcus*, 138, 179, 532.
 icterina, *Hippolais*, 443, 485.
 ictropygialis, *Eremomela*, 485, 567.
 ignicapillus, *Regulus*, 445, 675.
 minutabilis, *Diomedea*, 147, 373.
 importunus, *Andropadus*, 526.
 incanum, *Heteroscelus*, 123.
 incanus, *Heteroscelus*, 538.
 incerta, *Pterodroma*, 152.
 Indicator indicator, 526.
 — *minor*, 526.

- indicus*, *Anser*, 616.
 — *Passer* d., 385, 389.
inexpectata, *Pterodroma*, 4, 153.
interpres, *Arenaria*, 186, 237, 249, 276, 305, 384, 388, 389, 438, 474, 519, 538.
intermedia, *Egretta*, 483.
intermedius, *Leptosomus* d., 425.
involucris, *Ixobrychus*, 397.
irrorata, *Diomedea*, 534.
isabellina, *Oenanthe*, 118.
isabellinus, *Lanius*, 520.
Ixobrychus exilis, 399.
 — *involucris*, 397.
 — *minutus*, 237, 243, 482.

Jacana jacana, 397.
jacarina, *Volatinia*, 538.
jacksoni, *Tockus*, 526.
jamaicensis, *Oxyura*, 405.
jamesoni, *Lagonosticta*, 531.
japonica, *Zosterops* p., 358.
jessei, *Pytilia* m., 531.
juncidis, *Cisticola*, 442, 485, 623.
Junco, 338.
 — *hyemalis*, 356.
 — *phaenotus*, 591.
Jynx torquilla, 485.

Kaupifalco monogrammicus, 526.
kilimensis, *Nectarinia*, 527.
klaas, *Chrysococcyx*, 526.
koenigi, *Alectoris* b., 276.
 — *Lanius* e., 276.
kori, *Ardeotis*, 560.
 — *Otis*, 117.
krameri, *Psittacula*, 484.
krynickyi, *Garrulus* g., 120.
kuhlii, *Puffinus*, 151.

lacteus, *Bubo*, 526.
Lagonosticta jamesoni, 531.
 — *larvata*, 531.
 — *rhodopareia*, 531.
 — *rubricata*, 531.
 — *senegala*, 486.
Lagopus lagopus, 445.
lagopus, *Buteo*, 366, 490.
lamelligerus, *Anastomus*, 483.
Lamprocolius coruscus, 527.
Lamproternis caudatus, 486.
 — *chalybaeus*, 486.
 — *purpuropterus*, 527.
Laniarius aethiopicus, 527.
 — *barbarus*, 485, 528, 530.
 — *erythrogaster*, 527.
 — *ferrugineus*, 527.
 — *funebis*, 527.
Lanius collaris, 527.
 — *collurio*, 485, 520.
 — *excubitor*, 276, 485.
 — *isabellinus*, 520.
 — *senator*, 485.

lapponica, *Limosa*, 124, 237, 250, 438, 520.
Larus, 619.
 — *argentatus*, 186, 192, 276, 310–317, 436, 502, 514, 520, 543, 549, 551, 554.
 — *atricilla*, 125.
 — *brunicephalus*, 553, 555.
 — *bulleri*, 552, 554, (Plate 13), 555.
 — *cacchinans*, 317.
 — *canus*, 276.
 — *cirrocephalus*, 484, 536, 553, 675.
 — *crassirostris*, 554.
 — *franklini*, 410.
 — *fuliginosus*, 554.
 — *fuscus*, 180, 192, 237, 248, 310–317, 484, 502, 514, 520, 554.
 — *genei*, 518.
 — *glaucescens*, 502, 514.
 — *hemprichii*, 520.
 — *hyperboreus*, 300, 307, 554.
 — *leucophthalmus*, 520.
 — *maculipennis*, 397.
 — *marinus*, 192, 307, 397, 554.
 — *melanocephalus*, 554.
 — *modestus*, 536.
 — *novaehollandiae*, 552, 554 (Plate 13), 555.
 — *pipixcan*, 125, 538.
 — *ridibundus*, 248, 307, 315, 474, 484, 502, 514, 518, 543, 554.
larvata, *Lagonosticta*, 531.
larvatus, *Oriolus*, 527.
lateralis, *Zosterops*, 607, 614.
latirostris, *Stelgidocichla*, 526.
leadbeateri, *Burcorvus*, 526.
leguati, *Bubo*, 383, 389.
 — *Erythromachus*, 383, 389.
Leguatia gigantea, 388.
Leistes militaris, 177.
lepada, *Eminia*, 527.
Leptoptilos crumeniferus, 32, 483, 526.
Leptosomus discolor, 425, 430.
lepturus, *Phaëthon*, 387, 389.
leschenaulti, *Charadrius*, 118, 388, 389, 438.
lessonii, *Pterodroma*, 3, 4.
leucocephala, *Halcyon*, 518.
leucogaster, *Corythaixoides*, 526.
 — *Fregetta* g., 158.
 — *Sula*, 297, 535, 591.
leucolaima, *Pogoniulus*, 526.
leucomelas, *Tricholaema*, 532.
leuconotus, *Thalassornis*, 528.
leucopareia, *Chlidonias*, 246.
Leucophoyx, 31.
 — *thula*, 168, 538.
leucophrys, *Anthus*, 485.
 — *Calonetta*, 402.

leucophrys, *Erythropygia*, 526, 532.
leucophthalmus, *Larus*, 520.
leucopsis, *Branta*, 299, 304, 542.
leucoptera, *Chlidonias*, 237, 246, 520.
 — *Fulica*, 397.
 — *Loxia*, 34.
 — *Pterodroma*, 4, 155.
 — *Sterna*, 484.
leucopygius, *Serinus*, 486.
leucorhoa, *Oceanodroma*, 158.
leucorodia, *Platalea*, 237, 253, 276, 445, 519, 541, 550.
leucoscepus, *Pternistis*, 526.
Leucosticte, 61.
leucotis, *Buccanodon*, 526.
 — *Eremopterix*, 485.
 — *Otus*, 484.
levaillantii, *Francolinus*, 526.
herminieri, *Puffinus*, 14, 24, 152, 388.
libonyanus, *Turdus*, 533.
lichtensteinii, *Eremialector*, 526.
Limicola falcinellus, 519.
Limnocorax flavirostra, 483, 526.
Limosa haemastica, 397.
 — *lapponica*, 124, 237, 250, 438, 520.
 — *limosa*, 237, 250, 436, 484, 520, 539, 551.
Lipaugus, 588.
livia, *Columba*, 338, 349, 357.
Locustella fluviatilis, 519.
 — *lusciniodes*, 485.
lomvia, *Uria*, 308, 585.
Lonchura malabarica, 486.
 — *striata*, 266.
longicaudatus, *Mimus*, 538.
longipennis, *Macrodipteryx*, 264.
longirostris, *Pterodroma*, 5, 155.
Loomelania melania, 535.
Lophætus occipitalis, 483, 526.
Lophotis ruficrista, 526.
Lophura swinhoei, 649.
lorata, *Sterna*, 537.
Loxia curvirostra, 34, 54, 69, 350.
 — *leucoptera*, 34.
 — *pytyopsittacus*, 34, 96.
ludwigii, *Dicrurus*, 527.
lugens, *Streptopelia*, 526.
lugubris, *Quiscalus*, 177.
 — *Stephanibyx*, 526.
Lullula arborea, 531.
Luscinia megarhynchos, 485, 526.
 — *svecica*, 118.
lusciniodes, *Locustella*, 485.
lutea, *Motacilla* f., 443.
luteolus, *Ploceus*, 486.
luteus, *Passer*, 486.
Lybius torquatus, 526.
 — *vielloti*, 485.

- Lymnocyrtes minima*, 237, 250.
maccormicki, *Catharacta*, 543, 551.
Macrodipteryx longipennis, 264.
Macronectes, 7.
—— *giganteus*, 2, 146, 149, 541, 551.
—— *halli*, 2.
Macronyx croceus, 526.
macroptera, *Pterodroma*, 3, 541, 551, 675.
—— *Zenaidura*, 338, 351.
macrourus, *Circus*, 367, 483, 497.
——, *Colius*, 484, 526.
macrura, *Sterna*, 302, 307, 548, 586, 675.
macularia, *Actitis*, 536, 538.
maculipennis, *Larus*, 397.
madagascariensis, *Caprimulgus*, 264.
—— *Foudia*, 385, 389.
magentae, *Pterodroma*, 3.
magna, *Sturnella*, 67.
magnificens, *Fregata*, 7, 538.
maguari, *Euxenura*, 395, 397.
major, *Parus*, 58, 96.
—— *Podiceps*, 397.
—— *Puffinus*, 164.
malabarica, *Lonchura*, 486.
Malacirops borbonica, 386.
Malacotus, 278.
—— *blanchotii*, 527.
Malurus, 139.
Manacus manacus, 585, 599.
margaritatus, *Trachyphonus*, 485.
marginatus, *Charadrius*, 545, 551, 559, 569.
marina, *Pelagodroma*, 6, 157, 158.
marinus, *Larus*, 192, 307, 397, 554.
mariquensis, *Cinnyris*, 527.
maritima, *Calidris*, 299, 305, 474.
markhami, *Oceanodroma*, 535.
marshalli, *Opopsitta*, 296.
masafuerae, *Pterodroma* l., 4.
mauretanicus, *Puffinus* p. 152.
mauri, *Ereunetes*, 562.
maxima, *Megaceryle*, 532.
maximus, *Thalasseus*, 537, 538.
media, *Gallinago*, 237, 250, 484.
megacephala, *Megaphoxys*, 383, 389.
Megaceryle maxima, 532.
Megadyptes antipodes, 184, 586.
Megapodius, 138.
Megaphoxys megacephala, 383, 389.
megarhynchos, *Luscinia*, 485, 526.
meiffrenii, *Ortyxelos*, 483.
Melaenornis pammelaina, 526.
melancoryphus, *Cygnus*, 395, 397.
melania, *Loomelania*, 535.
melanocephala, *Ardea*, 483, 526.
melanocephalus, *Larus*, 554.
—— *Ploceus*, 486.
melanocholicus, *Tyrannus*, 538.
melanoleucus, *Phalacrocorax*, 600.
—— *Tringa*, 397.
—— *Urolestes*, 527.
melanophris, *Diomedea*, 146.
melanops, *Phleocryptes*, 410.
—— *Porphyriops*, 397.
—— *Turdoides*, 526.
melanopterus, *Stephanibyx*, 526.
melanota, *Sarkidiornis*, 483.
melanotos, *Erolia*, 124.
melanurus, *Passer*, 116.
melba, *Pytilia*, 486, 531.
Meleagris gallopavo, 542.
meleagris, *Numida*, 115, 387, 389, 483, 526.
Melichneutes robustus, 524, 526.
Melierax gabar, 483.
—— *metabates*, 483.
—— *musicus*, 562.
—— *poliopterus*, 526.
Melittophagus bullockoides, 526.
Melocichla mentalis, 527, 675.
melodia, *Melospiza*, 587.
Melopsittacus undulatus, 62, 512, 514.
Melospiza melodia, 587.
melpoda, *Estrilda*, 486.
mentalis, *Dysithamnus*, 537.
—— *Melocichla*, 527.
Merops albigollis, 118, 484.
—— *nubicoides*, 606–614.
—— *nubicus*, 484.
—— *orientalis*, 484.
—— *pusillus*, 484.
—— *superciliosus*, 484, 526.
merula, *Turdus*, 269.
Mesopicos goertae, 113, 485.
metabates, *Melierax*, 483.
Metopiana peposaca, 394, 397.
mexicanus, *Carpodacus*, 591.
—— *Cassidix*, 538.
—— *Himantopus* h. 548.
—— *Onychorhynchus*, 585.
—— *Psilorhinus*, 592.
Microparra capensis, 483.
migrans, *Milvus*, 273, 361, 362, 366, 483, 490–499, 519, 526, 648.
mikado, *Syrnaticus*, 649.
militaris, *Leistes*, 177.
Milvago chimango, 393, 397.
Milvus migrans, 273, 361, 362, 366, 483, 490–499, 519, 526, 648.
—— *milvus*, 366, 490.
Mimus longicaudatus, 538.
minima, *Lymnocyrtes*, 237, 250.
minor, *Fregata*, 202, 328.
—— *Indicator*, 526.
—— *Loxia* c., 69.
—— *Phoeniconaias*, 517, 526.
—— *Rhinopomastus*, 526.
minullus, *Accipiter*, 532.
minuta, *Calidris*, 234, 237, 249, 440, 484, 519.
—— *Erolia*, 236, 675.
minutus, *Ixobrychus*, 237, 243, 482.
Mirafra africana, 526.
—— *cantillans*, 526.
—— *rufocinnamomea*, 526.
mitrata, *Numida* m., 389, 526.
modesta, *Galerida*, 485.
modestus, *Larus*, 536.
moller, *Batis*, 526.
mollis, *Bulweria*, 7.
—— *Pterodroma*, 4.
mollissima, *Somateria*, 302.
Molothrus bonariensis, 410.
monachus, *Centropus*, 484.
——, *Necrosyrtes*, 526.
——, *Neophron*, 483.
monarcha, *Myopsitta*, 402.
monedula, *Corvus*, 503.
mongolus, *Charadrius*, 438, 519.
monogrammicus, *Kaupifalco*, 526.
monorhis, *Oceanodroma*, 159.
montanus, *Passer*, 82.
monte, *Gygis* a., 384, 389.
Montifringilla blanfordi, 118.
—— *nivalis*, 117.
—— *ruficollis*, 118.
—— *taczanowskii*, 118.
—— *theresae*, 117.
montifringilla, *Fringilla*, 34, 338, 369.
Morus capensis, 196.
Motacilla aguimp, 526.
—— *alba*, 368, 485.
—— *citreola*, 118.
—— *flava*, 368, 442, 443, 485, 520.
—— *pleschenka*, 488.
mozambicus, *Serinus*, 385, 389.
murivora, *Athene*, 383, 389.
—— *Carine*, 389.
Muscicapa aquatica, 485.
—— *striata*, 520.
musculus, *Troglodytes*, 590.
musicus, *Meliërax*, 562.
Mycteria americana, 397.
Myiobius, 585, 592.
Myopsitta monarcha, 402.
Myrmecocichla aethiops, 485, 526.
—— *nigra*, 526.

- nacunda*, Podager, 264.
narina, Apaloderma, 526.
nasutus, Tockus, 485, 526.
natalensis, Cisticola, 527.
 — *Francolinus*, 117.
naumanni, Falco, 368, 495.
nebouxii, Sula, 194, 535.
nebularia, Tringa, 237, 252, 256, 438, 484, 520.
Necropsar rodericanus, 383, 389.
Necropsittacus rodericanus, 383, 389.
Necrosyrtes monachus, 526.
Nectarinia kilimensis, 527.
 — *pulchella*, 485.
neglecta, Oestrelata, 166.
 — *Pterodroma*, 3, 153.
Neochelidon tibialis, 537.
Neophron monachus, 483.
 — *percnopterus*, 273, 361, 362, 364, 490–499, 519.
nereis, Garrodia, 6.
Netta rufo, 405.
Nettapus auritus, 483.
newtoni, Falco, 477.
Nicator chloris, 527.
niger, Bubalornis, 527.
 — *Chlidonias*, 550.
nigra, Chlidonias, 237, 246, 536.
 — *Ciconia*, 237, 245, 362, 363, 497.
nigricans, Scotornis c., 526.
nigripennis, Capella, 526.
 — *Pterodroma*, 4.
nigripes, Diomedea, 146, 586.
Nilaus afer, 485, 527.
nilotica, Gelocheidon, 237, 247, 520, 536.
 — *Sterna*, 484.
nisus, Accipiter, 271, 273, 361, 362, 366, 476, 490, 495, 499, 648.
nivalis, Montifringilla, 117.
 — *Plectrophenax*, 309.
niveicapilla, Cossypha, 526.
niveigularis, Tyrannus, 537.
nordmanni, Glareola, 520.
novae-hollandiae, Dromaius, 541.
 — *Larus*, 552, 554, (Plate 13), 555.
 — *Phalacrocorax c.*, 600.
nubicoides, Merops, 606–614.
nubicus, Merops, 484.
nubilosa, Sterna f., 389.
Numenius arquata, 237, 251, 276, 484, 520, 547.
 — *phaeopus*, 237, 251, 388, 389, 438, 520.
Numida meleagris, 115, 387, 389, 483, 526, 675.
 — *mitrata*, 526.
Nyctea scandiaca, 649.
Nycticorax nycticorax, 169, 243, 397, 482.
 — *violacea*, 169.
Nycticyphes semicollaris, 397.
Nyctidromus albicollis, 264.
nyroca, Aythya, 237, 241.
oatesi, Garrulus g., 122.
occidentalis, Pelecanus, 535, 538.
occipitalis, Lophæetus, 483, 526.
 — *Trigonoceps*, 483.
oceanicus, Oceanites, 157.
Oceanites, 7.
 — *oceanicus*, 157.
Oceanodroma castro, 16, 158.
 — *hornbyi*, 535.
 — *leucorhoa*, 158.
 — *markhami*, 535.
 — *monorhis*, 159.
 — *tethys*, 158, 535.
ochropus, Tringa, 237, 252, 256, 438, 484, 520.
oedinemus, Burhinus, 543, 544, 675.
Oena capensis, 116, 484.
Oenanthe deserti, 118.
 — *hispanica*, 443.
 — *isabellina*, 118.
 — *oenanthe*, 308, 485.
oenas, Columba, 349.
Oestrelata hasitata, 165.
 — *neglecta*, 166.
 — *torquata*, 167.
oleaginea, Pipromorpha, 589.
olivacea, Cyanomitra, 527.
olivaceus, Chlorophoneus, 532.
 — *Phalacrocorax*, 176, 397, 538.
 — *Turdus*, 526.
olor, Cygnus, 445, 542.
Onychorhynchus mexicanus, 585.
Opisthocomus hoazin, 176.
Opopsitta marshalli, 296.
orientalis, Batis, 485.
 — *Merops*, 484.
 — *Pterocles*, 118.
 — *Vidua*, 486.
Oriolus, 619.
 — *larvatus*, 527.
orix, Euplectes, 486.
ornatus, Pardalotus, 139.
Ortygospiza atricollis, 486.
Ortyxelos meiffrenii, 483.
oryzivorus, Dolichonyx, 338.
ostralegus, Haematopus, 180, 186, 192, 412–424, 473, 474, 519, 543, 551, 675.
Otis arabs, 483.
 — *kori*, 117.
Otus leucotis, 484.
 — *senegalensis*, 526.
Oxyura jamaicensis, 405.
 — *vittata*, 397.
Pachycephala, 138.
Pachyptila crassirostris, 3.
 — *humeri*, 2.
 — *turtur*, 3, 151.
 — *vittata*, 3.
 — *brevirostris*, 151.
pacificus, Puffinus, 3, 151, 387.
Paleornis exsul, 390.
pallida, Hippolais, 485.
pallidus, Apus, 442.
 — *Zosterops*, 318, 321, 532.
palpebrata, Phoebeia, 2, 143, 149.
palpebrosa, Zosterops, 358.
paludicola, Riparia, 485.
palumbus, Columba, 269, 338, (Plate 9, 350), 352, 357, 584, 622.
palustris, Telmatodytes, 593.
pammelaina, Melanornis, 526.
Pandion haliaetus, 368, 483, 492, 519, 538.
papua, Pygoscelis, 143, 278.
paradisea, Sterna, 476, 537.
paradoxus, Syrrhaptes, 160.
parasiticus, Stercorarius, 306, 543, 551.
parva, Porzana, 248.
Pardalotus ornatus, 139.
 — *striatus*, 139.
 — *substriatus*, 139.
Parisoma bohmi, 526.
 — *subcaeruleum*, 532, 567.
parkinsoni, Procellaria, 3.
Parus, 595.
 — *ater*, 270.
 — *atricapillus*, 590.
 — *major*, 58, 96.
parvus, Cypsiurus, 484.
Passer, 445.
 — *diffusus*, 527.
 — *domesticus*, 63, 82, 338, 385, 389, 475, 520, 570.
 — *griseus*, 486.
 — *luteus*, 486.
 — *melanurus*, 116.
 — *montanus*, 82.
passerini, Ramphocelus, 591.
patagonica, Aptenodytes, 149, 585, 599.
pavonina, Balearica, 431, 483, 526, 543.
pectoralis, Caprimulgus, 526.
pecuarius, Charadrius, 484.
pekingensis, Garrulus g., 121.
pelagicus, Hydrobates, 157.
Pelagodroma marina, 6, 157, 158.
Pelecanoides crassirostris, 5.
 — *georgicus*, 5, 159.
 — *urinatrix*, 5, 159.
Pelecanus occidentalis, 535, 538.
 — *rufescens*, 482, 517.
peli, Scotopelia, 532.
pelios, Turdus, 526.
peltata, Platysteira, 526.
penelope, Anas, 123, 237, 239.
pennatus, Hieracetus, 273, 361, 362, 365, 490–499, 648.
peposaca, Metopiana, 394, 397.
percivali, Pytilia m., 531.

- percnopterus, *Neophron*, 273,
 361, 362, 364, 490-499,
 519.
 peregrinus, *Falco*, 271, 443,
 490.
 Pernis apivorus, 361, 362,
 367, 490-499, 648.
 petechia, *Dendroica*, 538.
 Petronia dentata, 486.
 petrosus, *Anthus* s., 113.
 Pezophaps solitarius, 383,
 389.
 phaeonotus, *Junco*, 591.
 phaeopus, *Numenius*, 237,
 251, 388, 389, 438, 520.
 phaeopygia, *Pterodroma*, 155.
 Phaethon aethereus, 16, 163.
 — lepturus, 387, 389.
 Phalacrocorax africanus, 482.
 — aristotelis, 220.
 — bougainvillei, 196, 675.
 — carbo, 220, 482, 600.
 — melanoleucus, 600.
 — olivaceus, 176, 397, 538.
 — varius, 600.
 Phalaropus fulicarius, 306,
 536.
 Phasianus colchicus, 338, 542.
 phillipii, *Pterodroma*, 166.
 Philomachus pugnax, 237,
 251, 440, 484, 519.
 Phleocryptes melanops, 410.
 phoebe, *Sayornis*, 12.
 Phoebebia, 7.
 — fusca, 2, 149.
 — palpebrata, 2, 143, 149.
 Phoeniconaias, minor, 517,
 526.
 Phoenicopterus roseus, 276.
 — ruber, 276, 397, 517,
 519, 526.
 Phoeniculus aterrimus, 485.
 — purpureus, 485.
 Phoenicurus phoenicurus,
 444, 485.
 Phyllostrephus terrestris, 526.
 Phylloscopus, 520, 589.
 — bonelli, 485.
 — trochilus, 485, 532.
 Picathartes gymnocephalus,
 527.
 pictus, *Chrysolophus*, 542.
 pilaris, *Turdus*, 369, 675.
 pileatus, *Anous* s., 384, 389.
 Pinicola, 61.
 pinnatus, *Botaurus*, 398.
 pipixcan, *Larus*, 125, 538.
 Pipromorpha, 585, 592.
 — oleaginea, 589.
 piscator, *Crinifer*, 484.
 plancus, *Caracara*, 538.
 — Polyborus, 393, 397.
 Platalea alba, 483.
 — leucorodia, 237, 253,
 276, 445, 519, 541, 550.
 platalea, *Anas*, 397.
 platura, *Anthreptes*, 485.
 platyrhynchos, *Anas*, 237,
 239, 338, 349, 358, 542.
 Platysteira cyanea, 526, 675.
 — peltata, 526.
 Plautus alle, 308.
 plebejus, *Turdoides*, 485.
 Plectrophenax nivalis, 309.
 Plectropterus gambensis, 483,
 526.
 Plegadis chihi, 397.
 — falcinellus, 237, 253,
 483, 517.
 pleschenka, *Motacilla*, 488.
 Ploceus cucullatus, 486, 527.
 — luteolus, 486.
 — melanocephalus, 486.
 — spekei, 527.
 — velatus, 486.
 plumbea, *Poliophtila*, 538.
 Pluvialis apricarius, 434.
 — dominica, 123.
 Podager nacunda, 264.
 Podargus strigoides, 264.
 Podiceps dominicus, 397.
 — griseogen, 398.
 Podiceps major, 397.
 — podiceps, 397.
 — rolland, 397.
 — ruficollis, 254, 350, 482.
 podiceps Podilymbus, 436.
 Podilymbus podiceps, 436.
 podobe, *Cercotrichas*, 485.
 Pogonius bilineatus, 526.
 — chrysoconus, 485.
 — leucolaima, 526.
 — pusillus, 526.
 Poicephalus cryptoxanthus,
 526.
 — gulielmi, 526.
 — robustus, 526.
 — rufiventris, 526.
 polatzeki, *Calandrella* r., 276.
 Polemaetus bellicosus, 483.
 poliocephala, *Chloephaga*,
 402.
 poliocephalus, *Caprimulgus*,
 526.
 poliopterus, *Melierax*, 526.
 Poliophtila plumbea, 538.
 Polyborus plancus, 393, 397.
 pomarina, *Aquila*, 361, 362,
 364, 490, 499.
 pomarinus, *Stercorarius*, 306.
 pondicerianus, *Francolinus*,
 384, 389, 675.
 porphyreolophus, *Gallirex*,
 526.
 —, *Tauraco*, 117.
 Porphyriops melanops, 397.
 Porzana parva, 248.
 — porzana, 237, 248.
 — pusilla, 248.
 pratensis, *Anthus*, 369.
 pratincola, *Glareola*, 439, 484,
 520, 543.
 Prinia clamans, 485.
 — subflava, 485.
 Prion brevirostris, 165.
 Prion caerulea, 156.
 Procellaria, 6, 7.
 — aequinoctialis, 3, 144,
 151.
 — brevipes, 156.
 — caerulea, 156.
 — cinerea, 3, 151.
 Procellaria conspicillata, 7.
 — fuliginosa, 143.
 — furcata, 143.
 — parkinsoni, 3.
 — westlandica, 3.
 Progne chalybea, 537.
 — subis, 8.
 Pseudogyps africanus, 526.
 Pseudoeleistes virescens, 402.
 Psilorchinus mexicanus, 592.
 Psittacula exsul, 383, 387, 389.
 — krameri, 484.
 Psittacus erithacus, 526.
 Pterocles exustus, 484, 526.
 — orientalis, 118.
 Pterodroma 7, 159, 165.
 — arminjoniana, 154.
 — axillaris, 4.
 — barau, 4.
 — brevirostris, 4.
 — cahow, 4.
 — cervicalis, 4.
 — cookii, 4.
 — externa, 3, 155, 166.
 — hasitata, 155.
 — heraldica, 4.
 — hypoleuca, 4.
 — incerta, 153.
 — inexpectata, 4, 153.
 — lessonii, 4.
 — leucoptera, 4, 155.
 — longirostris, 5, 155.
 — macroptera, 3, 541, 551,
 675.
 — magentae, 3.
 — masafueriae, 4.
 — mollis, 4.
 — neglecta, 3, 153.
 — nigripennis, 4.
 — phaeophgia, 155.
 — phillipii, 166.
 — pycrafti, 4.
 — rostrata, 156.
 — solandri, 3, 153.
 — tristis, 155.
 — ultima, 3, 153.
 Pteroglossus frantzii, 585.
 Pternistis leucoscepus, 526.
 Puffinus, 6, 7.
 — assimilis, 3, 152, 541.
 — bulleri, 3.
 — carneipes, 6, 152, 541,
 551.
 — diomedea, 276.
 — gavia, 3.
 — gravis, 162, 587.
 — griseus, 3, 156, 534.
 — huttoni, 3.
 — kuhlii, 151.
 — herminieri, 14, 24,
 152, 388.
 — major, 164.
 — pacificus, 3, 151, 387.
 — puffinus, 3, 152, 185,
 514, 541, 585, 598.
 — tenuirostris, 152,
 541, 586, 599.
 pugnax, *Philomachus*, 237,
 251, 440, 484, 519.
 pulchella, *Nectarinia*, 485.
 pulcher, *Spreo*, 486.

- punctata*, *Stictocarbo*, 600.
purpurea, *Ardea*, 237, 242, 483.
purpureus, *Phoeniculus*, 485.
purpuropterus, *Lamprotrornis*, 527.
pusilla, *Porzana*, 248.
pusillus, *Merops*, 484.
 — *Pogoniulus*, 526.
Pycnonotus barbatus, 485, 526.
 — *tricolor*, 526.
 — *xanthopygos*, 526.
pycrafti, *Pterodroma* l., 4.
pygargus, *Circus*, 367, 483, 497.
Pygoscelis adeliae, 99–109, 277.
 — *antarctica*, 277.
 — *papua*, 143, 278.
Pyrocephalus rubinus, 538.
Pyrrhocorax pyrrhocorax, 275.
Pyrrhula pyrrhula, 34, 110–113, 441.
Pytilia melba, 486, 531, 675.
pytyopsittacus, *Loxia*, 34, 96.

quadricolor, *Telophorus*, 527.
quadrivirgata, *Erythropygia*, 526.
Quelea, 338.
 — *quelea*, 63, 83, 90, 96, 118, 347, 349, (Plate 9, 350), 486, 527, 593, 599.
Querquedula flavirostris, 411.
 — *querquedula*, 259.
querquedula, *Anas*, 237, 239, 258, 442, 483, 519.
Quiscalus lugubris, 177.

ralloides, *Ardeola*, 170, 234, 237, 242, 482.
Rallus sanguinolentus, 397.
Ramphocelus passerinii, 591.
rapax, *Aquila*, 364, 483.
Recurvirostra avosetta, 182, 237, 249, 258, 474, 519, 547, 675.
regia, *Diomedea*, 146.
regulorum, *Balearica*, 431, 526.
Regulus ignicapillus, 445, 675.
retzii, *Sigmodus*, 527.
rex, *Balaeniceps*, 25, 32, 526.
Rhea americana, 540, 551, 586.
Rhinocorax rhipidurus, 527.
Rhinopomastus cyanomelas, 533.
 — *minor*, 526.
Rhinoptilus africanus (Plates 14–16), 556–569, 675.
rhipidurus, *Rhinocorax*, 527.
rhodios, *Garrulus* g., 120.
rhodopareia, *Lagonosticta*, 531.
Rhynchocyclus, 585.

ridibundus, *Larus*, 248, 307, 315, 474, 484, 502, 514, 518, 543, 554.
riocourii, *Chelictinia*, 526.
Riparia paludicola, 485.
 — *riparia*, 443, 485.
Rissa tridactyla, 191, 307, 514, 543.
robustus, *Melichneutes*, 524, 526.
 — *Poicephalus*, 526.
rodericana, *Alectroenas*, 383, 389.
 — *Bebrornis*, 383, 385, 389.
rodericanus, *Necropsar*, 383, 389.
 — *Necropsittacus*, 383, 389.
rolland, *Podiceps*, 397.
roseogrisea, *Streptopelia*, 484.
roseus, *Phoenicopterus*, 276.
rostrata, *Pterodroma*, 156.
Rostrhamus sociabilis, 172, 397, 406.
ruber, *Eudocimus*, 172.
 — *Phoenicopterus*, 276, 397, 517, 519, 526.
rubidiceps, *Chloephaga*, 402.
rubinus, *Pyrocephalus*, 538.
rubra, *Foudia*, 386.
rubricata, *Lagonosticta*, 531.
rubrigastra, *Tachuris*, 410.
rudis, *Ceryle*, 484.
rufa, *Alectoris*, 540, 542, 551.
 — *Anhinga*, 482.
 — *Sarothrura*, 532.
rufescens, *Acrocephalus*, 485.
 — *Calandrella*, 276.
 — *Pelecanus*, 482, 517.
ruficollis, *Caprimulgus*, 260, 264.
 — *Corvus*, 486.
 — *Montifingilla*, 118.
 — *Podiceps*, 254, 350, 482.
ruficrista, *Lophotis*, 526.
rufifrons, *Fulica*, 397.
rufina, *Netta*, 405.
rufinus, *Buteo*, 273, 366, 490, 495.
rufiventris, *Poicephalus*, 526.
rufocinnamomea, *Mirafrax*, 526.
rufofuscus, *Buteo*, 526.
rufus, *Cursorius*, 562–569.
rupicoloides, *Falco*, 117.
rupellii, *Gyps*, 483, 526.
rustica, *Hirundo*, 368, 443, 485, 520, 590.
rusticola, *Scolopax*, 305.
rutenbergi, *Butorides* s., 384, 389.

Sagittarius serpentarius, 483.
sandvicensis, *Sterna*, 475, 476, 518.
sandwichensis, *Pterodroma* p., 155.

sanguinolentus, *Rallus*, 397.
Sarkidiornis melanota, 483.
sarmenticia, *Zosterops* s., 325.
Sarothrura elegans, 532, 675.
 — *rufa*, 532.
Sayornis phoebe, 12.
scandiaca, *Nyctea*, 649.
schalowi, *Tauraco*, 526.
schoeniclus, *Emberiza*, 82.
schoenobaenus, *Acrocephalus*, 485, 520.
scirpaceus, *Acrocephalus*, 485.
Scolopax rusticola, 305.
scopulinus, *Larus* n., 552, 554 (Plate 13), 555.
Scopus umbretta, 25, 32, 526.
Scotopelia peli, 532.
Scotornis climacurus, 264, 526.
sechellarum, *Copsychus*, 528.
semicollaris, *Nycticryphes*, 397.
semifasciata, *Tityra*, 590.
semipalmatus, *Anseranas*, 542.
 — *Catoptrophorus*, 182.
semirufa, *Cossypha*, 526.
semitorquata, *Streptopelia*, 526.
senator, *Lanius*, 485.
senegala, *Lagonosticta*, 486.
 — *Tchagra*, 485, 527.
senegalensis, *Burhinus*, 484.
 — *Centropus*, 484, 526.
 — *Chalcomitra*, 527.
 — *Ephippiorhynchus*, 483.
 — *Eupodotis*, 483, 526.
 — *Halcyon*, 526.
 — *Otus*, 526.
 — *Stigmatopelia*, 526.
 — *Streptopelia*, 484.
 — *Upupa* e., 526.
 — *Zosterops*, 318, 324, 527.
sephaena, *Francolinus*, 117, 526.
Serinus canarius, 91, 369, 531.
 — *leucopygius*, 486.
 — *mozambicus*, 385, 389.
serpentarius, *Sagittarius*, 483.
severtzowi, *Garrulus* g., 122.
seychellarum, *Foudia*, 386.
sibilatrix, *Anas*, 397.
Sigmodus retzii, 527.
sinensis, *Garrulus* g., 120.
skua, *Catharacta*, 161, 540, 543.
 — *Stercorarius*, 551.
Smithornis capensis, 526.
sociabilis, *Rostrhamus*, 172, 397, 406.
solandri, *Pterodroma*, 3, 153.
solitarius, *Cuculus*, 526.
 — *Pezophaps*, 383, 389.
soloensis, *Accipiter*, 476.
Somateria mollissima, 302.
 — *spectabilis*, 303.
soudanensis, *Pytilia* m., 531.
Spatula clypeata, 123.

- speciosa*, *Columba*, 584.
spectabilis, *Somateria*, 303.
spekei, *Ploceus*, 527.
Spermestes cucullatus, 527.
spinoletta, *Anthus*, 113.
spinus, *Hoplopterus*, 526.
—— *Vanellus*, 443, 484.
spinus, *Carduelis*, 34.
splendens, *Corvus*, 519.
Sporophila aurita, 591.
—— *telasco*, 538.
Sporopipes frontalis, 486.
Spreo hildebrandti, 527.
—— *pulcher*, 486.
—— *superbus*, 527.
Squatarola squatarola, 123,
236, 384, 388, 389, 438.
squatarola, *Charadrius*, 519.
stagnatilis, *Tringa*, 237, 253,
256, 440, 484, 520, 526.
Steatornis caripensis, 264.
Stelgidocichla latirostris, 526.
stellata, *Colymbus*, 301.
—— *Gavia*, 540, 551.
stellatus, *Botaurus*, 237, 242.
Stephanibyx coronatus, 526,
569.
—— *lugubris*, 526.
—— *melanopterus*, 526.
Stercorarius parasiticus, 306,
543, 551.
—— *pomarinus*, 306.
—— *skua*, 551.
Sterna, 236, 543, 549.
—— *albifrons*, 484.
—— *bengalensis*, 520.
—— *bergii*, 520.
—— *dougalli*, 387, 389, 476.
—— *fuscata*, 14, 297, 387,
438, 537.
—— *hirundo*, 186, 476, 537.
—— *hybrida*, 484.
—— *leucoptera*, 484.
—— *lorata*, 537.
—— *macrura*, 302, 307, 548,
586, 675.
—— *nilotica*, 484.
—— *paradisaea*, 476, 537.
—— *sandvicensis*, 475, 476,
518.
—— *trudeaui*, 397.
—— *tschegrava*, 484, 488.
—— *velox*, 387.
Stictocarro punctata, 600.
stierlingi, *Zosterops*, 325.
Stigmatopelia senegalensis,
526.
stolidus, *Anous*, 384, 387, 389
strepera, *Anas*, 237, 241.
Streptopelia capicola, 526.
—— *decaocto*, 356, 358.
—— *decipiens*, 484, 526.
—— *lugens*, 526.
—— *roseogrisea*, 484.
—— *semitorquata*, 526.
—— *senegalensis*, 484, 526.
—— *turtur* (Plate 10, 351),
352, 357, 442.
—— *vinacea*, 484.
striata, *Geopelia*, 384, 389.
—— *Lonchura*, 266.
striata, *Muscicapa*, 520.
striatus, *Accipiter*, 476.
—— *Butorides*, 169, 384,
389, 397, 483, 519.
—— *Pardalotus*, 139.
strigoides, *Podargus*, 264.
Strix capensis, 488.
struthersii, *Ibidorhyncha*,
616.
Struthio camelus, 540.
Sturnella magna, 67.
Sturnus vulgaris, 67, 338,
352, 358, 444.
subalaris, *Puffinus a.*, 152.
subbuteo, *Falco*, 361, 362,
368, 490.
subcaeruleum, *Parisoma*, 532,
567.
subcylindricus, *Bycanistes*,
526.
subflava, *Prinia*, 485.
subis, *Progne*, 8.
subminuta, *Calidris*, 440.
substriatus, *Pardalotus*, 139.
Sula abbotti, 194.
—— *bassana*, 146, 194, 231,
541, 591, 598.
—— *dactylatra*, 194, (Plates
3–8, pp. 220–221), 535, 541,
591.
—— *leucogaster*, 297, 535,
591.
—— *nebouxii*, 194, 535.
—— *sula*, 194, 387.
—— *variegata*, 194, 535.
sulcirostris, *Crotophaga*, 538.
sulfureopectus, *Chloropho-*
neus, 527.
sundevalli, *Zosterops p.*, 319.
superbus, *Spreo*, 527.
superciliosus, *Centropus*, 526.
—— *Merops*, 484, 526.
svecica, *Luscinia*, 118.
swainsonii, *Francolinus*, 115.
swinhoi, *Lophura*, 649.
Sylvia atricapilla, 232, 485.
—— *borin*, 485.
—— *cantillans*, 485.
—— *communis*, 368, 485.
—— *curruca*, 485.
Sylvietta brachyura, 485.
Symplectes bicolor, 527.
Syrmaticus mikado, 649.
Syrrhaptes paradoxus, 160.

Tachuris rubrigastra, 410.
taczanowskii, *Montifringilla*,
118.
Taeniopygia castanotis, 570–
578.
—— *guttata*, 62.
talatala, *Cinnyris*, 527.
Tauraco corythaix, 526.
—— *hartlaubi*, 526.
—— *porphyreolophus*, 117.
—— *schalowi*, 526.
Tchagra senegala, 485, 527.
—— *tchagra*, 532.
Tchitrea, 524.
—— *viridis*, 526.

tectus, *Vanellus*, 484.
telasco, *Sporophila*, 538.
Telmatodytes palustris, 593.
Telophorus quadricolor, 527.
—— *zeylonus*, 532.
temminckii, *Calidris*, 237,
249, 440, 484, 519.
—— *Erolia*, 236, 439, 675.
tenebrosus, *Milvus m.*, 526.
tenuirostris, *Anous*, 384, 387,
389, 543, 550.
—— *Puffinus*, 152, 541,
586, 599.
Terathopius ecaudatus, 483,
526.
Terenotriccus, 585.
Terpsiphone viridis, 532.
terrestris, *Phyllastrephus*,
526.
testacea, *Calidris*, 519.
—— *Erolia*, 384, 388, 389,
439.
Testudophaga bicolor, 383,
389.
tethys, *Oceanodroma*, 158,
535.
Thalasseus bergii, 387, 389.
—— *elegans*, 537, 538.
—— *maximus*, 537, 538.
Thalassogeron chlororhyn-
chos, 167.
Thalassornis leuconotus, 528.
theresae, *Montifringilla*, 117.
Theristicus caudatus, 397.
thilius, *Agelaius*, 410.
thoracica, *Apalis*, 526.
Threskiornis aethiopia, 483.
thula, *Egretta*, 168, 397.
—— *Leucophoyx*, 168, 538.
tibialis, *Neochelidon*, 537.
tingitanus, *Corvus c.*, 276.
tinnunculus, *Falco*, 276, 361,
362, 368, 483, 490, 495.
Tityra semifasciata, 590.
Tockus alboterminatus, 526.
—— *deckeni*, 526.
—— *erythrorhynchus*, 485,
526.
—— *flavirostris*, 526.
—— *jacksoni*, 526.
—— *nasutus*, 485, 526.
tongensis, *Zosterops s.*, 319,
324.
torda, *Alca*, 308, 543.
Torgos tracheliotus, 526.
torquata, *Chauna*, 395, 397.
(p. 410, Pl. 11), 542, 551.
—— *Oestrelata*, 167.
torquatus, *Lybius*, 526.
torquilla, *Jynx*, 485.
totanus, *Tringa*, 186, 237,
253, 475, 484, 520.
tracheliotus, *Aegypius*, 483.
—— *Torgos*, 526.
Trachyphonus erythrocephalus,
526.
—— *margaritatus*, 485.
—— *vaillantii*, 526.
Treron australis, 526.
—— *waalia*, 484.
Tricholaema leucomelas, 532.

- tricolor, *Hydranassa*, 168.
 — *Pycnonotus*, 526.
 tridactyla, *Rissa*, 191, 307, 514, 543.
Trigonoceps occipitalis, 483.
Tringa cinerea, 519.
 — *erythropus*, 237, 252, 484.
 — *flavipes*, 297.
 — *glareola*, 234, 237, 252, 258, 440, 484, 520, 526.
 — *hypoleucos*, 237, 252, 256, 442, 484, 519.
 — *melanoleucus*, 397.
 — *nebularia*, 237, 252, 256, 438, 484, 520.
 — *ochropus*, 237, 252, 256, 484, 520.
 — *stagnatilis*, 237, 253, 256, 440, 484, 520, 526.
 — *totanus*, 186, 237, 253, 475, 484, 520.
Tripsurus chrysauchen, 584.
tristani, *Pterodroma* e., 155, 166.
tristis, *Acridotheres*, 385, 389.
trivialis, *Anthus*, 368, 520.
trochilus, *Phylloscopus*, 485, 532.
Trochocercus cyanomelas, 526.
Troglodytes aedon, 538.
 — *musculus*, 590.
troglydites, *Estrilda*, 486.
tropica, *Fregetta*, 158.
trudeaui, *Sterna*, 397.
tschegrava, *Hydroprogne*, 520.
 — *Sterna*, 484, 488.
Turdoides hypoleuca, 526.
 — *melanops*, 526.
 — *plebejus*, 485.
Turdus ericetorum, 269.
 — *libonyanus*, 533.
 — *merula*, 269.
 — *olivaceus*, 526.
 — *pelios*, 526.
 — *pilaris*, 369, 675.
Turtur abyssinicus, 484.
 — *afer*, 526.
 — *chalcospilos*, 526.
turtur, *Pachyptila*, 3, 151.
 — *Streptopelia*, (Plate 10, 351), 352, 357, 442, 484.
Turturoena delegorguei, 526.
Tympanistria tympanistria, 526.
Tyrannus melancholicus, 538.
 — *niveigularis*, 537.
Tyto alba, 117, 484.

ultima, *Pterodroma*, 3, 153.
umbellus, *Bonasa*, 542, 550.
umbretta, *Scopus*, 25, 32, 526.
undulatus, *Melopsittacus*, 62, 512, 514.
unitatus, *Cecropis* a., 533.
Upupa africana, 526.
 — *epops*, 276, 429, 443, 485, 526.
Uraeginthus angolensis, 116.
urbica, *Delichon*, 113.
Uria grylle, 308, 543.
 — *lomvia*, 308, 585.
urinatrix, *Pelecanoides*, 5, 159.
Urolestes melanoleucus, 527.
urubitinga, *Buteogallus*, 172.

vaalensis, *Zosterops*, 318.
vaillantii, *Trachyphonus*, 526.
vallisneria, *Aythya*, 404.
Vanellus armatus, 568.
 — *chilensis*, 397.
 — *coronatus*, 561, 568.
 — *crassirostris*, 484.
 — *cristatus*, 264.
 — *spinosus*, 443, 484.
 — *tectus*, 484.
 — *vanellus*, 180, 260, 539
variegata, *Sula*, 194, 535.
varius, *Phalacrocorax*, 600.
velatus, *Ploceus*, 486.
velox, *Sterna*, 387.
vermiculatus, *Burhinus*, 526.
veroxii, *Cyanomitra*, 527.
verreauxi, *Aquila*, 591, 598.
versicolor, *Anas*, 397.
Vidua chalybeata, 486.
 — *orientalis*, 486.
viduata, *Dendrocygna*, 483, 526.
vieillotii, *Lybius*, 485.
vinacea, *Lagonosticta* l., 531.
 — *Streptopelia*, 484.
violacea, *Nycticorax*, 169.

virens, *Eurillas*, 526.
 — *Zosterops*, 318, 322, 527.
virescens, *Butorides*, 173, 399.
 — *Pseudoleistes*, 402.
virginianus, *Colinus*, 346.
virgo, *Anthropoides*, 237, 245, 483.
viridis, *Tchitrea*, 526.
 — *Terpsiphone*, 532.
vittata, *Oxyura*, 397.
 — *Pachyptila*, 3.
vocifer, *Cuncuma*, 526.
 — *Haliaeetus*, 483, 532, 533.
vociferus, *Caprimulgus*, 264.
Volatinia jacarina, 538.
vulgaris, *Sturnus*, 67, 338, 352, 358, 444.
vulpinus, *Buteo* b., 367.

waalia, *Treron*, 484.
westlandica, *Procellaria*, 3.
whitakeri, *Garrulus* g., 121.
woodfordii, *Ciccaba*, 526.
woosnami, *Cisticola*, 527.

xanthopygos, *Pycnonotus*, 526.
Xenus cinereus, 439.

Zenaidura macroura, 338, 351.
zeylonus, *Telophorus*, 532.
zonatus, *Campylorhynchus*, 592.
Zonotrichia, 338.
 — *albicollis*, 356.
zonurus, *Crinifer*, 526.
Zosterops, 338.
 — *capensis*, 318, 320.
 — *deserticola*, 322.
 — *lateralis*, 607, 614
 — *pallidus*, 318, 321, 532.
 — *palpebrosa*, 358.
 — *senegalensis*, 318, 324, 527.
 — *stierlingi*, 325.
 — *tongensis*, 324.
 — *vaalensis*, 318.
 — *virens*, 318, 322, 527.

IBIS 1967

CORRIGENDA

- P. 151 *Halobaena coerulea* to read *Halobaena caerulea*
 P. 186 *Diomedea epomorpha* to read *Diomedea epomophora*
 P. 196 *Phalacrocorax bourgainvillii* to read *Phalacrocorax bouganvillei*
 P. 236 (Footnote) *E. minuta* to read *Erolia minuta*
E. temminckii to read *Erolia temminckii*
 P. 285 *Apterodytes* to read *Aptenodytes*
 P. 369 *Turdus pilarus* to read *Turdus pilaris*
 P. 379 *Diomedea* to read *Diomedea*
 P. 384 *Francolinus pondiceranus* to read *Francolinus pondicerianus*
 Pp. 387
 & 389 *Numidia* to read *Numida*
 P. 429 *Coracius* to read *Coracias*
 P. 443 *Hippolius* to read *Hippolais*
 P. 445 *R. ignicapilla* to read *Regulus ignicapillus*
 P. 484 *Larus cirrocephalus* to read *Larus cirrhocephalus*
 P. 486 *Pytelia* to read *Pytilia*
 P. 526 *Platysteria* to read *Platysteira*
 P. 527 *Melochichla* to read *Melocichla*
 P. 532 *Sarothura* to read *Sarothrura*
 Pp. 532
 & 533 *Haliaetus* to read *Haliaeetus*
 P. 541 *Pterodroma macropterus* to read *Pterodroma macroptera*
 P. 543 *H. ostralegus* to read *Haematopus ostralegus*
 P. 544 *Burhinus oedionemus* to read *Burhinus oedienemus*
 P. 547 *Recurvirostra avocetta* to read *Recurvirostra avosetta*
 P. 548 *Sterna macroura* to read *Sterna macrura*
- Plates
 14 to 16 *R. africanus* to read *Rhinoptilus africanus*
 P. 562 *Ereunetes* to read *Ereunetes*

U. of ILL. LIBRARY

JUN 14 1968

CHICAGO CIRCLE

